

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 1. Vol. XCIV WEEK ENDED SATURDAY, 5th JANUARY, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 444—211 boys and 233 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 238. Of these, 7 deaths were due to tuberculosis and 28 to malignant neoplasms. There were 7 accidental deaths, 3 of which were due to transport accidents, and 2 to burns.

Among the deaths of infants under one year, 5 were due to prematurity, 4 to congenital malformation, 3 to injury at birth, 2 to pneumonia, 2 to gastro-enteritis, one to meningitis, one to septicæmia, one to hæmorrhagic disease and one to liver abscesses.

The total number of births registered during the weeks in the principal towns, was 667—336 boys and 331 girls, of which 204 boys and 207 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 320, of which 189 were registered in Dublin County Borough

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 5th January, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS			POPULATION 1951	BIRTHS	DEATHS	CAUSED BY																	
						Under 1 year of age	65 years and upward	Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
								Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	851,612	444	238	21	144	7	1	2	28	2	12	12	2	7	165
DUBLIN COUNTY BOROUGH	522,183	304	162	13	93	5	1	2	22	1	7	11	2	7	104
DUN LAOGHAIRE BOROUGH	47,920	19	10	2	8	1	.	.	.	9
CORK COUNTY BOROUGH	74,567	45	20	3	13	1	1	.	2	.	.	.	16
LIMERICK COUNTY BOROUGH	50,820	9	6	1	3	1	5
WATERFORD COUNTY BOROUGH	28,691	14	8	.	5	1	7
GALWAY BOROUGH	21,316	7	8	2	6	1	.	1	.	.	.	5
DUNDALK URBAN DISTRICT	19,678	8	4	.	3	1	3
DROGHEDA URBAN DISTRICT	16,779	12	6	.	5	6
SLIGO URBAN DISTRICT	13,529	4	4	.	2	1	3
BRAY URBAN DISTRICT	12,062	4	3	.	2	3
WEXFORD URBAN DISTRICT	11,979	7	4	.	2	1	.	1	.	.	.	2
TRALEE URBAN DISTRICT	11,045	4	3	.	2	1	2
KILKENNY URBAN DISTRICT	10,572	2
CLONMEL URBAN DISTRICT	10,471	5
BELFAST	443,680	198	139	8	92	3	17	15	1	.	—
DERRY	50,095	29	9	3	5	2	.	.	—

Notes: The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 5th January, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																	
	Total Deaths		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
			Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																		
Under 1	13	1	1	2	..	9	
1-4	3	2	2	
5-14	2	2	
15-24	1	1	3	..	2	..	1	2	
25-44	10	2	8	3	2	..	1	23	
45-64	40	3	11	1	7	..	3	68	
65 and over	93	1	
Total	162	5	1	2	22	1	7	11	2	104	
CORK COUNTY BOROUGH																		
Under 1	3	3	
1-4	
5-14	
15-24	2	1	1	
25-44	2	2	
45-64	13	1	2	10	
65 and over	
Total	20	1	1	..	2	16	
TWELVE OTHER TOWNS																		
Under 1	5	1	4	
1-4	2	2	
5-14	1	1	
15-24	
25-44	10	2	1	1	7	
45-64	38	1	3	1	1	1	..	31	
65 and over	
Total	56	1	5	1	3	1	..	45	

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32
33	34	35	36
37	38	39	40
41	42	43	44
45	46	47	48
49	50	51	52
53	54	55	56
57	58	59	60
61	62	63	64
65	66	67	68
69	70	71	72
73	74	75	76
77	78	79	80
81	82	83	84
85	86	87	88
89	90	91	92
93	94	95	96
97	98	99	100



CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from
THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 2. Vol. XCIV WEEK ENDED SATURDAY, 12th JANUARY, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 410—236 boys and 174 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 177. Of these, 2 deaths were due to tuberculosis and 22 to malignant neoplasms. There were 7 accidental deaths, 4 of which were due to transport accidents, and one to burns.

Among the deaths of infants under one year, 6 were due to pneumonia, 3 to congenital malformation, 2 to prematurity, one to injury at birth, one to gastro-enteritis, one to maternal toxæmia, one to peritonitis, one to atelectasis and one to suffocation by bed-clothes.

The total number of births registered during the week in the principal towns, was 645—349 boys and 296 girls, of which 196 boys and 150 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 280, of which 116 were registered in Dublin County Borough.


TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 12th January, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	DEATHS												CAUSED BY											
		BIRTHS		DEATHS		Under 1 year of age		65 years and upward		Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		BIRTHS	DEATHS	Under 1 year of age	65 years and upward	Respiratory system	Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Influenza	Pneumonia	Other							
TOTAL 14 TOWNS	851,612	410	177	17	105	2	22	.	12	5	.	.	128
DUBLIN COUNTY BOROUGH	522,183	258	94	9	60	1	13	.	10	2	.	.	64
DUN LAGHAIRE BOROUGH	47,920	19	11	1	6	2	.	1	.	.	.	8
CORK COUNTY BOROUGH	74,567	22	19	1	12	2	.	2	2	.	.	13
LIMERICK COUNTY BOROUGH	50,820	39	5	1	1	1	.	.	.	4
WATERFORD COUNTY BOROUGH	28,691	9	5	.	4	5
GALWAY BOROUGH	21,316	13	3	.	2	3
DUNDALK URBAN DISTRICT	19,678	10	12	2	4	9
DROGHEDA URBAN DISTRICT	16,779	5	7	.	5	1	6
SLIGO URBAN DISTRICT	13,529	2	9	1	5	1	1	7
BRAY URBAN DISTRICT	12,062	3	2	.	1	1	1
WEXFORD URBAN DISTRICT	11,979	6	1	1	2
TRALEE URBAN DISTRICT	11,045	3	3	.	2	1	3
KILKENNY URBAN DISTRICT	10,572	13	3	.	2	3
CLONMEL URBAN DISTRICT	10,471	8	3	2	1	3
BELFAST	443,680	174	107	9	70	2	—	.	15	12	.	.	—
DERRY	50,095	16	9	1	2	—	.	1	1	.	.	—

Notes : The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 12th January, 1957, which were assigned to Dublin and Cork County boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																
	Total Deaths	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	9	4	.	1	.	4
1-4	1	1
5-14	2	1
15-24	3	1	.	.	.	1
25-44	10	1	8	.	5	2	.	.	13
45-64	60	5	46
65 and over	94	1	13	.	10	2	1	3	64
Total
CORK COUNTY BOROUGH																	
Under 1	1	2	1
1-4	2	1
5-14	1	1
15-24	1	1	2
25-44	2
45-64	12	2	.	.	10
65 and over	19	2	.	.	2	.	2	13
Total
TWELVE OTHER TOWNS																	
Under 1	7	2	.	.	1	4
1-4
5-14
15-24	5	1	2	2	.	.	1	.	1	1
25-44	19	3	2	15
45-64	33	31
65 and over	64	1	7	.	.	2	1	.	2	51
Total



CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 3.	Vol. XCIV	WEEK ENDED SATURDAY, 19th JANUARY, 1957	PRICE 2d. NET
--------	-----------	---	---------------

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 396—183 boys and 213 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 174. Of these, one death was due to tuberculosis and 32 were due to malignant neoplasms.

Among the deaths of infants under one year, 2 were due to congenital malformation, one to injury at birth, one to atelectasis and one to pneumonia.

The total number of births registered during the week in the principal towns, was 649—310 boys and 339 girls, of which 143 boys and 181 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 286, of which 137 were registered in Dublin County Borough.


TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 19th January, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	CAUSED BY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
				Under 1 year of age		65 years and upward																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
				Tuber- culosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system				Gastro-enteritis (under 2 years)	External causes	Other causes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
													Respiratory system	Other forms	Influenza	Pneumonia				Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
TOTAL 14 TOWNS	851,612	396	174	5	110	1</

Notes: The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 19th January, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY												TOTAL DEATHS	
	Respiratory system	Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			
											Influenza	Pneumonia		Other
DUBLIN COUNTY BOROUGH														
Under 1 ..	2	1	.	1
1-4 ..	2	2	.	1
5-14 ..	1	5
15-24 ..	6	1	.	.	.	18
25-44 ..	28	7	.	.	3	44
45-64 ..	62	9	.	7	2	69
65 and over ..	62
Total ..	101	17	.	10	5	.
CORK COUNTY BOROUGH														
Under 1 ..	1	1
1-4
5-14
15-24
25-44 ..	7	4	.	.	.	3
45-64 ..	15	1	.	.	1	10
65 and over ..	15	3	.
Total ..	23	5	.	1	3	14
TWELVE OTHER TOWNS														
Under 1 ..	2	2
1-4 ..	1	1
5-14 ..	1	1	1
15-24 ..	1	1
25-44 ..	11	4	.	.	1	6
45-64 ..	33	5	.	.	3	25
65 and over ..	33
Total ..	50	1	10	.	.	4	35



CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 4. Vol. XCIV WEEK ENDED SATURDAY, 26th JANUARY, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 331—151 boys and 180 girls.

The number of deaths registered, of persons normally residing in the principal towns was 190. Of these, 2 deaths were due to tuberculosis and 33 were due to malignant neoplasms. There were 6 accidental deaths, 2 of which were due to drowning, 2 to suffocation by fumes and one to a transport accident.

Among the deaths of infants under one year, 7 were due to congenital malformation, 4 to pneumonia, 3 to prematurity, 2 to meningococcal infection, 2 to gastro-enteritis, 2 to haemolytic disease, one to meningitis, one to mongolism and one to injury at birth.


The total number of births registered during the week in the principal towns, was 521—239 boys and 282 girls, of which 131 boys and 153 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 282, of which 140 were registered in Dublin County Borough

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 26th January, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																
				CAUSED BY																
				Under 1 year of age	65 years and upward	Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system		Gastro-enteritis (under 2 years)	External causes	Other causes
				Respiratory system	Other forms									Influenza	Pneumonia	Other				
TOTAL 14 TOWNS	851,612	331	190	26	106	1	1	3	33	1	13	11	2	6	119
DUBLIN COUNTY BOROUGH	522,183	208	107	17	61	.	1	2	22	.	10	3	1	1	67
DUN LAOGHAIRE BOROUGH	47,920	9	12	1	7	1	.	1	.	1	2	7
CORK COUNTY BOROUGH	74,567	40	26	4	14	1	5	.	1	2	.	.	17
LIMERICK COUNTY BOROUGH	50,820	32	17	2	9	1	1	1	1	.	.	2	11
WATERFORD COUNTY BOROUGH	28,691	8	3	3	3	2	.	.	1
GALWAY BOROUGH	21,316	8	4	1	4
DUNDALK URBAN DISTRICT	19,678	8	5	.	2	1	2
DROGHEDA URBAN DISTRICT	16,779	7
SLIGO URBAN DISTRICT	13,529	.	3	.	3	3
BRAY URBAN DISTRICT	12,062	2	3	.	1	1	.	.	.	1	1	1
WEXFORD URBAN DISTRICT	11,979	2	2	.	2	1	.	.	1
TRALEE URBAN DISTRICT	11,045	3	1	.	1	1
KILKENNY URBAN DISTRICT	10,572	1
CLONMEL URBAN DISTRICT	10,471	3	7	1	3	2	.	.	1	.	.	4
BELFAST	443,680	164	121	5	70	2	—	—	1	17	12	1	—	—
DERRY	50,095	20	8	.	6	—	—	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.



CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 5. Vol. XCIV WEEK ENDED SATURDAY, 2nd FEBRUARY, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 446—233 boys and 213 girls.

The number of deaths registered, of persons normally residing in the principal towns was 171. Of these, one death was due to tuberculosis, one to diphtheria and 20 were due to malignant neoplasms. There was one suicide.

Among the deaths of infants under one year, 4 were due to pneumonia, one to gastro-enteritis, one to measles, one to congenital malformation, and one to empyema.

The total number of births registered during the week in the principal towns, was 703—373 boys and 330 girls, of which 200 boys and 197 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 247, of which 127 were registered in Dublin County Borough.


TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 2nd February, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																			
				CAUSED BY																			
				Under 1 year of age	65 years and upward	Respiratory system	Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			External causes	Other causes			
																	Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)			
TOTAL 14 TOWNS	851,612	446	171	8	103	1	.	.	1	.	.	.	1	1	20	1	7	10	1	3	125		
DUBLIN COUNTY BOROUGH	522,183	297	98	5	56	1	.	.	1	1	11	.	5	6	1	2	70		
DUN LAOGHAIRE BOROUGH	47,920	22	9	.	7	2	7		
CORK COUNTY BOROUGH	74,567	46	25	1	19	4	.	1	3	.	.	17		
LIMERICK COUNTY BOROUGH	50,820	17	7	.	4	1	6		
WATERFORD COUNTY BOROUGH	28,691	4	1	1		
GALWAY BOROUGH	21,316	6	3	.	2	3		
DUNDALK URBAN DISTRICT	19,678	6	5	.	5	1	1	3		
DROGHEDA URBAN DISTRICT	16,779	12	5	1	2	5		
SLIGO URBAN DISTRICT	13,529	6	4	.	1	1	.	.	3		
BRAY URBAN DISTRICT	12,062	5	2	.	2	1	.	.	.	1		
WEXFORD URBAN DISTRICT	11,979	8	3	3		
TRALEE URBAN DISTRICT	11,045	2	5	1	2	1	1	.	.	.	3		
KILKENNY URBAN DISTRICT	10,572	3	3	.	2	2		
CLONMEL URBAN DISTRICT	10,471	12	1	.	1	1		
BELFAST	443,680	138	110	8	72	2	—	—	—	—	—	.	15	8	.	—	—		
DERRY	50,095	8	13	.	10	—	—	—	—	—	.	.	3	.	—	—		

Notes: The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 2nd February, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP		DEATHS CAUSED BY													TOTAL DEATHS				
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system					Gastro-enteritis (under 2 years)	External causes	Other causes
												Respiratory system	Other forms	Influenza					
DUBLIN COUNTY BOROUGH																			
Under 1	1	..	1		
1-4		
5-14		
15-24	1	1	..		
25-44	1	2		
45-64	9	17		
65 and over	1	..	2	4	..	1	49		
TOTAL	..	98	1	..	1	1	11	..	5	6	1	2	70		
CORK COUNTY BOROUGH																			
Under 1	..	1	1		
1-4		
5-14	1		
15-24		
25-44	4		
45-64	..	19	4	3	12		
65 and over	..	25	4	..	1	3	17		
TOTAL	..	25	4	..	1	3	17		
TWELVE OTHER TOWNS																			
Under 1	..	2	1		
1-4	..	1		
5-14	..	1	1		
15-24	..	1	1		
25-44	..	1	10		
45-64	..	14	2	..	1	1	..	1	23		
65 and over	..	28	3	..	1		
TOTAL	..	48	5	..	1	1	..	1	38		



CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBAS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 6. Vol. XCIV WEEK ENDED SATURDAY, 9th FEBRUARY, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 368—185 boys and 183 girls.

The number of deaths registered, of persons normally residing in the principal towns was 180. Of these, one death was due to tuberculosis and 27 were due to malignant neoplasms.

Among the deaths of infants under one year, 7 were due to pneumonia, one to congenital malformation, and one to asphyxia.

The total number of births registered during the week in the principal towns, was 601—314 boys and 287 girls, of which 185 boys and 169 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 273, of which 135 were registered in Dublin County Borough.


TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 9th February, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	CAUSED BY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				Under 1 year of age		65 years and upward																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
				Respiratory system	Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

Notes: The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 9th February, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP		DEATHS CAUSED BY													Total Deaths		
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system					Gastro-enteritis (under 2 years)
Respiratory system	Other forms									Influenza	Pneumonia	Other					
DUBLIN COUNTY BOROUGH																	
Under 1	1
1-4	2
5-14	8
15-24	12
25-44	51
45-64	51
65 and over	74
Total	74
CORK COUNTY BOROUGH																	
Under 1
1-4
5-14
15-24
25-44
45-64
65 and over
Total	18
TWELVE OTHER TOWNS																	
Under 1
1-4
5-14
15-24
25-44
45-64
65 and over
Total	34



CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 7. Vol. XCIV WEEK ENDED SATURDAY, 16th FEBRUARY, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 360—169 boys and 191 girls.

The number of deaths registered, of persons normally residing in the principal towns was 200. Of these, one death was due to tuberculosis and 23 were due to malignant neoplasms. There were 5 accidental deaths, one of which was due to drowning and one to burns.

Among the deaths of infants under one year, 3 were due to congenital malformation, 2 to prematurity, one to whooping cough, one to gastro-enteritis, one to injury at birth, one to convulsions, one to inanition, one to atelectasis, one to asphyxia and one to pneumonia.


The total number of births registered during the week in the principal towns, was 558—272 boys and 286 girls, of which 144 boys and 148 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 286, of which 162 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 16th February, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS CAUSED BY													External causes	Other causes		
				Under 1 year of age	65 years and upward	Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system				
						Respiratory system	Other forms									Influenza			Pneumonia	Other
TOTAL 14 TOWNS	851,612	360	200	13	129	.	1	.	.	1	.	.	1	23	.	12	18	1	5	138
DUBLIN COUNTY BOROUGH	522,183	206	120	6	83	20	.	5	12	.	4	79
DUN LAGHAIRE BOROUGH	47,920	22	13	2	7	1	.	.	3	.	1	.	8
CORK COUNTY BOROUGH	74,567	37	18	.	11	.	1	1	.	3	4	.	.	9
LIMERICK COUNTY BOROUGH	50,820	17	10	1	6	10
WATERFORD COUNTY BOROUGH	28,691	14	6	.	3	4
GALWAY BOROUGH	21,316	14	6	.	5	1	.	.	.	5
DUNDALK URBAN DISTRICT	19,678	1	7	2	3	.	.	.	1	1	3
DRUGHEDA URBAN DISTRICT	16,779	13	3	1	1	5
SLIGO URBAN DISTRICT	13,529	4	4	.	4	3
BRAY URBAN DISTRICT	12,062	9	2	2
WEXFORD URBAN DISTRICT	11,979	9	6	1	3	1	5
TRALEE URBAN DISTRICT	11,045	11	5	.	3	1	4
KILKENNY URBAN DISTRICT	10,572	2
CLONMEL URBAN DISTRICT	10,471	1
BELFAST	443,680	171	88	4	62	.	1	12	7	.	—	—
DERRY	50,095	20	4	1	2	2	.	.	—	—

Notes : The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.



CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from
THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 8.	Vol. XCIV	WEEK ENDED SATURDAY, 23rd FEBRUARY, 1957	PRICE 2d. NET
--------	-----------	--	---------------

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 364—195 boys and 169 girls.

The number of deaths registered, of persons normally residing in the principal towns was 208. Of these, 6 deaths were due to tuberculosis and 24 to malignant neoplasms. There were 4 accidental deaths, one of which was due to drowning and 2 to transport accidents. There was one suicide.

Among the deaths of infants under one year, 3 were due to prematurity, 3 to pneumonia, 2 to atelectasis, one to congenital malformation and one to neo-natal infection.

The total number of births registered during the week in the principal towns, was 568—305 boys and 263 girls, of which 173 boys and 148 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 290, of which 161 were registered in Dublin County Borough.


TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 23rd February, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	CAUSED BY																DEATHS		
				Under 1 year of age	65 years and upward	Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)		External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other				
TOTAL 14 TOWNS	851,612	364	208	10	128	6	24	8	11	.	5	154	97	
DUBLIN COUNTY BOROUGH	522,183	242	133	6	86	5	17	5	6	.	3	9	9	
DUN LAGHAIRE BOROUGH	47,920	19	11	1	9	1	1	2	.	.	9	9	
CORK COUNTY BOROUGH	74,557	9	13	.	8	1	1	.	.	2	10	10	
LIMERICK COUNTY BOROUGH	50,820	36	14	.	5	1	1	.	.	.	2	.	.	
WATERFORD COUNTY BOROUGH	28,691	2	1	1	
GALWAY BOROUGH	21,316	2	3	1	.	1	.	.	2	2	
DUNDALK URBAN DISTRICT	19,678	9	4	.	2	1	3	3	
DROGHEDA URBAN DISTRICT	16,779	14	2	.	2	1	.	.	1	1	
SLIGO URBAN DISTRICT	13,529	7	2	.	1	2	2	
BRAY URBAN DISTRICT	12,062	7	3	.	2	1	2	2	
WEXFORD URBAN DISTRICT	11,979	4	8	2	5	8	8	
TRALEE URBAN DISTRICT	11,045	3	2	.	1	2	2	
KILKENNY URBAN DISTRICT	10,572	4	6	.	4	6	6	
CLONMEL URBAN DISTRICT	10,471	6	6	1	3	1	.	1	.	.	3	3	
BELFAST	443,680	149	106	4	59	1	—	14	5	.	—	—	—	
DERRY	50,095	13	5	.	3	—	.	1	.	—	—	—	

Notes: The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 23rd February, 1957, which were assigned to Dublin and Cork County boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																
	TOTAL DEATHS	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1 ..	6	1	.	.	1	5
1-4 ..	2	1
5-14 ..	3	1
15-24 ..	1	1
25-44 ..	6	1	.	.	2	6
45-64 ..	29	2	1	.	.	2	10
65 and over ..	86	3	1	.	.	3	17
TOTAL ..	133	5	5	.	.	6	97
CORK COUNTY BOROUGH																	
Under 1
1-4
5-14
15-24
25-44 ..	2	1
45-64 ..	3
65 and over ..	8
TOTAL ..	13	1	.	.	2	9
TWELVE OTHER TOWNS																	
Under 1 ..	4	2	.	.	.	2
1-4 ..	1	1
5-14 ..	1	1
15-24 ..	3	1
25-44 ..	19	1	15
45-64 ..	34	29
65 and over ..	62	1	48
TOTAL ..	133	5	5	.	.	6	97



CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE
PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from
THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 9.	Vol. XCIV	WEEK ENDED SATURDAY, 2nd MARCH, 1957	PRICE 2d. NET
--------	-----------	--------------------------------------	---------------

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 426—228 boys and 198 girls.

The number of deaths registered, of persons normally residing in the principal towns was 218. Of these, one death was due to diphtheria, 7 deaths were due to tuberculosis and 33 to malignant neoplasms. There was one accidental death. There was one suicide.

Among the deaths of infants under one year, 2 were due to congenital malformation, 2 to injury at birth, one to prematurity, one to atelectasis, one to broncho-pneumonia, one to septicaemia, one to asphyxia and one to neo-natal infection.


The total number of births registered during the week in the principal towns, was 692—356 boys and 336 girls, of which 191 boys and 153 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 306, of which 145 were registered in Dublin County Borough

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 2nd March, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																		
				CAUSED BY																		
				Under 1 year of age	65 years and upward	Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes	
				Respiratory system	Other forms									Influenza	Pneumonia	Other						
TOTAL 14 TOWNS	851,612	426	218	10	140	5	2	.	1	1	1	.	.	.	1	33	2	6	14	.	2	151
DUBLIN COUNTY BOROUGH	522,183	246	129	7	80	3	.	.	1	1	1	.	.	.	1	17	2	2	13	.	2	87
DUN LAGHAIRE BOROUGH	47,920	15	13	.	7	4	.	2	.	.	.	7
CORK COUNTY BOROUGH	74,567	48	24	1	18	1	1	9	6	.	1	.	.	15
LIMERICK COUNTY BOROUGH	50,820	51	19	.	15	1	1	1	17
WATERFORD COUNTY BOROUGH	28,691	14	12	2	8	2	.	2	.	.	.	8
GALWAY BOROUGH	21,316	9	5	2	2	5
DUNDALK URBAN DISTRICT	19,678	9	2	2	2	2
DROGHEDA URBAN DISTRICT	16,779	10	1	1	1	1
SLIGO URBAN DISTRICT	13,529	10	2	1	1	.	1	1
BRAY URBAN DISTRICT	12,062	1	3	2	2	1	2
WEXFORD URBAN DISTRICT	11,979	.	2	1	1	2
TRALEE URBAN DISTRICT	11,045	5	3	1	1	2	1
KILKENNY URBAN DISTRICT	10,572	7	3	2	2	3
CLONMEL URBAN DISTRICT	10,471	1
BELFAST	443,680	148	123	7	81	—	.	12	9	1	—	—
DERRY	50,095	18	7	5	5	—	1	.	.	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.



CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from
THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 10. Vol. XCIV WEEK ENDED SATURDAY, 9th MARCH, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 385—196 boys and 189 girls.

The number of deaths registered, of persons normally residing in the principal towns was 236. Of these, one death was due to poliomyelitis, 7 deaths were due to tuberculosis and 24 to malignant neoplasms. There were 3 accidental deaths, 2 of which were due to poisoning.

Among the deaths of infants under one year, 5 were due to congenital malformation, 5 to prematurity, 2 to pneumonia, one to asphyxia, one to gastro-enteritis, one to hernia, and one to enlarged thymus.

The total number of births registered during the week in the principal towns, was 631—313 boys and 318 girls, of which 182 boys and 174 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 322, of which 195 were registered in Dublin County Borough.


TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 9th March, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS		DEATHS		CAUSED BY																
		Under 1 year of age	65 years and upward	Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes			
				Respiratory system	Other forms									Influenza	Pneumonia	Other						
TOTAL 14 TOWNS	851,612	385	236	17	142	5	2	.	.	.	1	24	3	9	24	2	3	163
DUBLIN COUNTY BOROUGH	522,183	261	165	11	94	5	1	18	3	7	22	2	3	104
DUN LAGHAIRE BOROUGH	47,920	19	10	1	9	1	.	.	1	.	.	8
CORK COUNTY BOROUGH	74,567	21	22	1	14	.	1	3	.	1	.	.	.	17
LIMERICK COUNTY BOROUGH	50,820	19	9	1	6	1	.	.	1	.	.	7
WATERFORD COUNTY BOROUGH	28,691	17	3	.	1	3
GALWAY BOROUGH	21,316	2	7	.	5	.	1	1	.	1	.	.	.	4
DUNDALK URBAN DISTRICT	19,678	6	4	1	3	4
DROGHEDA URBAN DISTRICT	16,779	9	4	.	3	4
SLIGO URBAN DISTRICT	13,529	4	2	.	2	2
BRAY URBAN DISTRICT	12,062	8	2	1	2
WEXFORD URBAN DISTRICT	11,979	4	3	1	1	3
TRALEE URBAN DISTRICT	11,045	6	3	.	2	3
KILKENNY URBAN DISTRICT	10,572	5	1	.	1	1
CLONMEL URBAN DISTRICT	10,471	4	1	.	1	1
BELFAST	443,680	166	84	4	60	1	—	—	—	—	.	9	.	7	.	.	—	—
DERRY	50,095	17	2	.	2	—	—	—	—	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 9th March, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP		DEATHS CAUSED BY																
		Total Deaths		Tuberculosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
													Respiratory system	Other forms	Influenza			
DUBLIN COUNTY BOROUGH																		
Under 1	..	11	1	2	.	1	7	
1-4	..	3	1	.	.	.	2	
5-14	..	2	1	
15-24	..	8	1	2	6	.	.	.	1	5	
25-44	..	45	2	9	7	.	2	.	.	22	
45-64	..	94	2	7	7	.	2	.	1	67	
65 and over	2	.	.	22	
Total	..	165	5	.	.	.	1	.	.	.	18	3	7	22	2	3	104	
CORK COUNTY BOROUGH																		
Under 1	..	1	
1-4	
5-14	
15-24	..	2	2	2	1	1	.	.	2	
25-44	..	5	1	1	2	
45-64	..	14	1	1	13	
65 and over		
Total	..	22	3	3	1	.	.	.	17	
TWELVE OTHER TOWNS																		
Under 1	..	5	5	
1-4	..	1	1	
5-14	
15-24	
25-44	..	9	9	
45-64	..	34	3	3	1	2	.	.	28	
65 and over		
Total	..	49	1	3	3	1	2	.	.	42	



CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE
PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 11. Vol. XCIV WEEK ENDED SATURDAY, 16th MARCH, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 384—194 boys and 190 girls.

The number of deaths registered, of persons normally residing in the principal towns was 236. Of these, 6 deaths were due to tuberculosis and 33 to malignant neoplasms. There were 7 accidental deaths, 3 of which were due to transport accidents and one to drowning.

Among the deaths of infants under one year, 2 were due to gastro-enteritis, 2 to prematurity, one to pneumonia, one to asphyxia, one to congenital malformation, one to atelectasis, one to influenza, one to otitis media, one to anoxia and one to birth injury.

The total number of births registered during the week in the principal towns, was 628—320 boys and 308 girls, of which 169 boys and 150 girls were registered in Dublin County Borough.


The total number of deaths registered in the principal towns was 333, of which 178 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 16th March, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	CAUSED BY																		
				DEATHS																		
				Under 1 year of age	65 years and upward	Tuber- culosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes		
						Respiratory system	Other forms										Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	851,612	384	236	13	159	6	3	10	19	3	7	153
DUBLIN COUNTY BOROUGH	522,133	232	150	11	99	1	3	6	14	3	4	97
DUN LAOGHAIRE BOROUGH	47,920	13	8	.	8	7	
CORK COUNTY BOROUGH	74,567	39	30	.	18	3	2	2	3	19	
LIMERICK COUNTY BOROUGH	50,820	25	13	1	9	2	1	.	6	
WATERFORD COUNTY BOROUGH	28,691	15	11	.	7	1	1	.	6	
GALWAY BOROUGH	21,316	7	5	.	4	1	1	.	2	
DUNDALK URBAN DISTRICT	19,678	18	4	.	2	3	
DROGHEDA URBAN DISTRICT	16,779	9	2	1	1	
SLIGO URBAN DISTRICT	13,529	9	2	.	2	2	
BRAY URBAN DISTRICT	12,062	3	1	.	1	1	
WEXFORD URBAN DISTRICT	11,979	5	2	.	2	2	
TRALEE URBAN DISTRICT	11,045	2	3	.	3	2	
KILKENNY URBAN DISTRICT	10,572	2	3	.	2	3	
CLONMEL URBAN DISTRICT	10,471	5	2	.	2	2	
BELFAST	443,680	197	114	12	73	3	15	8	.	—	
DERRY	50,095	12	14	.	7	—	

Notes : The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.





CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 12 Vol. XCIV WEEK ENDED SATURDAY, 23rd MARCH, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 386—218 boys and 168 girls.

The number of deaths registered, of persons normally residing in the principal towns was 186. Of these, 4 deaths were due to tuberculosis and 22 to malignant neoplasms.

Among the deaths of infants under one year, 3 were due to prematurity, 3 to congenital malformation, one to pneumonia, one to atelectasis, one to kernicterus one to peritonitis, one to mongolism and one to debility.


The total number of births registered during the week in the principal towns, was 652—344 boys and 308 girls, of which 175 boys and 170 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 247, of which 138 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 23rd March, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	Under 1 year of age		65 years and upward		CAUSED BY										Diseases of the respiratory system		Gastro-enteritis (under 2 years)	External causes	Other causes
				Respiratory system	Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Influenza	Pneumonia	Other						
TOTAL 14 TOWNS	851,612	386	186	12	119	3	1											1	137			
DUBLIN COUNTY BOROUGH	522,183	239	117	6	77	2												1	81			
DUN LAOGHAIRE BOROUGH	47,920	13	10	9															10			
CORK COUNTY BOROUGH	74,567	20	20	1	11	1													13			
LIMERICK COUNTY BOROUGH	50,820	43	10	2	6														9			
WATERFORD COUNTY BOROUGH	28,691	6	4	1			1												2			
GALWAY BOROUGH	21,316	4																				
DUNDALK URBAN DISTRICT	19,678	13	2	2															2			
DROGHEDA URBAN DISTRICT	16,779	3	3	1															2			
SLIGO URBAN DISTRICT	13,529	4	2	2															2			
BRAV URBAN DISTRICT	12,062	10	2																2			
WEXFORD URBAN DISTRICT	11,979	8	6	5															5			
TRALES URBAN DISTRICT	11,045	7	3	3															3			
KILKENNY URBAN DISTRICT	10,572	10	4	1	2														4			
CLONMEL URBAN DISTRICT	10,471	6	3	1	1														2			
BELFAST	443,680	165	86	8	51																	
DERRY	50,095	20	7	5																		

Notes : The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.



CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 13. Vol. XCIV WEEK ENDED SATURDAY, 30th MARCH, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 398—200 boys and 198 girls.

The number of deaths registered, of persons normally residing in the principal towns was 164. Of these, 5 deaths were due to tuberculosis and 25 to malignant neoplasms. There were 4 accidental deaths, 3 of which were due to transport accidents.

Among the deaths of infants under one year, 4 were due to injury at birth, 3 to pneumonia, 2 to prematurity, one to atelectasis, one to congenital malformation, one to enlarged thymus and one to neo-natal septicæmia.

The total number of births registered during the week in the principal towns, was 659—339 boys and 320 girls, of which 169 boys and 150 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 243, of which 143 were registered in Dublin County Borough.


TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 30th March, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	CAUSED BY																	
				Under 1 year of age	65 years and upward	Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	851,612	398	164	13	106	4	1	25	1	8	6	.	4	115
DUBLIN COUNTY BOROUGH	522,183	225	113	11	71	4	1	15	1	7	5	.	3	77
DUN LAOGHAIRE BOROUGH	47,920	27	5	.	4	3	.	.	1	.	.	1
CORK COUNTY BOROUGH	74,557	48	11	.	6	2	9
LIMERICK COUNTY BOROUGH	50,820	30	9	.	7	2	7
WATERFORD COUNTY BOROUGH	23,691	11	1	.	1	1
GALWAY BOROUGH	21,316	16	5	.	3	2	1	1	.	.	.	2
DUNDALK URBAN DISTRICT	19,678	9	1	.	1	1
DROGHEDA URBAN DISTRICT	16,779	6	3	.	3	3
SLIGO URBAN DISTRICT	13,529	6	4	.	4	1	3
BRAY URBAN DISTRICT	12,062	5	2	.	1	2
WEXFORD URBAN DISTRICT	11,979	5	1	.	1	1	7
TRALEE URBAN DISTRICT	11,045	1	7	1	5
KILKENNY URBAN DISTRICT	10,572	5	2
CLONMEL URBAN DISTRICT	10,471	4	2	1	1
BELFAST	443,680	171	78	3	48	1	—	—	.	—	—	.	6	7	1	—	—
DERRY	50,095	21	6	.	4	—	—	.	—	—	.	.	1	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 30th March, 1957, which were assigned to Duonm and Cork County Borough and twelve other towns, classified by Cause and Age Group.

AGE GROUP		DEATHS CAUSED BY																	
		Total Deaths		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
				Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																			
Under 1	..	11	3	.	.	8	
1-4	..	1	1	.	
5-14	..	1	1	.	
15-24	..	5	1	1	2	
25-44	..	1	1	1	.	
45-64	..	24	2	7	.	.	4	.	1	13	
65 and over	..	71	2	7	54	
TOTAL	..	113	4	1	15	1	7	5	.	3	77	
CORK COUNTY BOROUGH																			
Under 1	..	1	1	
1-4	..	1	
5-14	..	1	1	
15-24	..	1	1	
25-44	..	3	1	2	
45-64	..	6	1	5	
65 and over	1	2	
TOTAL	..	11	2	9	
TWELVE OTHER TOWNS																			
Under 1	..	2	2	
1-4	
5-14	
15-24	
25-44	..	9	5	4	
45-64	..	29	3	.	.	1	.	1	28	
65 and over	
TOTAL	..	40	8	.	1	1	.	1	29	



CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 14.	Vol. XCIV	WEEK ENDED SATURDAY, 6th APRIL, 1957	PRICE 2d. NET
---------	-----------	--------------------------------------	---------------

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 369—184 boys and 185 girls.

The number of deaths registered, of persons normally residing in the principal towns was 174. Of these, one death was due to diphtheria, 4 deaths were due to tuberculosis and 21 to malignant neoplasms. There were 4 accidental deaths, 2 of which were due to transport accidents. There was one suicide.

Among the deaths of infants under one year, 7 were due to prematurity, 6 to pneumonia, 5 to atelectasis, 3 to congenital malformation, one to osteomyelitis maxilla and one to neo-natal septicæmia.

The total number of births registered during the week in the principal towns, was 578—291 boys and 287 girls, of which 194 boys and 171 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 252, of which 138 were registered in Dublin County Borough.


TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 6th April, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS		POPULATION 1951	BIRTHS	DEATHS	CAUSED BY															DEATHS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
					Under 1 year of age		Caused By																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
					65 years and upward	Tuber- culosis	Respiratory system	Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system					Gastro-enteritis (under 2 years)	External causes	Other causes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						

Notes : The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 6th April, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY															
	Total Deaths	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Other causes	
		Respiratory system	Other forms									Influenza	Pneumonia	Other		
DUBLIN COUNTY BOROUGH																
Under 1 ..	16	5	.	11
1-4 ..	4	2	.	2
5-14 ..	1	1
15-24 ..	2	.	.	.	1	1
25-44 ..	4	17
45-64 ..	25	1	1	3	47
65 and over ..	58	1	3	.	.	2	5	17
Total ..	110	2	1	.	1	10	.	.	9	8	76
CORK COUNTY BOROUGH																
Under 1 ..	3	3
1-4 ..	1	1
5-14
15-24
25-44 ..	8	2	.	.	1	.	5
45-64 ..	9	1	.	8
65 and over ..	8
Total ..	21	3	.	.	2	.	16
TWELVE OTHER TOWNS																
Under 1 ..	4	1	.	3
1-4 ..	1	1
5-14 ..	1
15-24 ..	4	2	1
25-44 ..	6	1	2	.	.	1	.	3
45-64 ..	28	2	1	1	1	2	20
65 and over ..	28	8
Total ..	43	1	8	1	2	2	2	27



CUNNTAS SEACHTAINIUIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 15. Vol. XCIV WEEK ENDED SATURDAY, 13th APRIL, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 404—221 boys and 183 girls.

The number of deaths registered, of persons normally residing in the principal towns was 185. Of these, 2 deaths were due to tuberculosis and 33 to malignant neoplasms. There were 12 accidental deaths, 6 of which were due to transport accidents, and one to drowning.

Among the deaths of infants under one year, 2 were due to prematurity, 2 to congenital malformation, one to broncho-pneumonia, one to pneumococcal meningitis, one to atelectasis and one to neo-natal septicæmia.

The total number of births registered during the week in the principal towns, was 659—351 boys and 308 girls, of which 193 boys and 183 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 270, of which 132 were registered in Dublin County Borough.


TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 13th April, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.


PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																
				CAUSED BY																
				Under 1 year of age	65 years and upward	Tuber- culosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
				Respiratory system	Other forms									Influenza	Pneumonia	Other				
TOTAL 14 TOWNS	851,612	404	185	8	117	2	3	7	10	.	12	118
DUBLIN COUNTY BOROUGH	522,183	264	102	5	65	1	1	3	5	.	7	64
DUN LAOGHAIRE BOROUGH	47,920	21	13	1	10	1	.	2	8
CORK COUNTY BOROUGH	74,567	30	27	1	16	2	2	2	.	.	18
LIMERICK COUNTY BOROUGH	50,820	32	6	.	2	3	3
WATERFORD COUNTY BOROUGH	28,691	6	5	.	4	1	4
GALWAY BOROUGH	21,316	7	8	.	6	1	1	1	1	.	.	4
DUNDALK URBAN DISTRICT	19,678	5
DROGHEDA URBAN DISTRICT	16,779	5	1	1
SLIGO URBAN DISTRICT	13,529	7	3	.	2	1	2
BRAY URBAN DISTRICT	12,062	1	3	.	2	2
WEXFORD URBAN DISTRICT	11,979	8	4	1	1	1	4
TRALEE URBAN DISTRICT	11,045	3	4	.	3	1	1	.	.	.	2
KILKENNY URBAN DISTRICT	10,572	7	6	.	3	2	4
CLONMEL URBAN DISTRICT	10,471	8	3	.	3	1	.	.	2
BELFAST	443,680	186	78	4	52	11	4	1	—	—
DERRY	50,095	19	2	.	2	—	—

Note: The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 13th April, 1951, which were assigned to Duoinn and Cork County boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP		DEATHS CAUSED BY																
		TOTAL DEATHS	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
			Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																		
Under 1	..	5	4	
1-4	..	3	
5-14	..	1	1	
15-24	..	1	1	
25-44	..	27	15	
45-64	..	65	1	45	
65 and over	..																	
Total	..	102	1	7	64	
CORK COUNTY BOROUGH																		
Under 1	..	1	1	
1-4	
5-14	..	1	
15-24	..	3	2	
25-44	..	6	5	
45-64	..	16	10	
65 and over	..																	
Total	..	27	2	18	
TWELVE OTHER TOWNS																		
Under 1	..	2	2	
1-4	..	1	1	
5-14	..	1	1	
15-24	..	2	1	
25-44	..	14	6	
45-64	..	36	1	2	26	
65 and over	..																	
Total	..	56	1	5	36	





CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 16. Vol. XCIV WEEK ENDED SATURDAY, 20th APRIL, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 345—182 boys and 163 girls.

The number of deaths registered, of persons normally residing in the principal towns was 135. Of these, 8 deaths were due to tuberculosis, one to poliomyelitis and 23 to malignant neoplasms.

Among the deaths of infants under one year, 3 were due to injury at birth, and 2 to congenital malformation.

The total number of births registered during the week in the principal towns, was 544—279 boys and 265 girls, of which 156 boys and 158 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 202, of which 105 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 20th April, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.


PRINCIPAL TOWNS		POPULATION 1951	BIRTHS	DEATHS	DEATHS																		
					CAUSED BY																		
					Under 1 year of age	65 years and upward	Respiratory system		Tuber- culosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
							Other forms	Influenza										Pneumonia	Other				
TOTAL 14 TOWNS	..	851,612	345	138	6	77	8	1	23	1	5	5	.	1	94
DUBLIN COUNTY BOROUGH	..	522,183	234	84	4	43	8	1	14	.	1	3	.	1	56
DUN LAGHAIRE BOROUGH	..	47,920	21	8	2	5	2	.	2	1	.	.	3
CORK COUNTY BOROUGH	..	74,567	13	18	.	10	3	1	.	1	.	.	13
LIMERICK COUNTY BOROUGH	..	50,820	30	4	.	4	1	.	1	.	.	.	2
WATERFORD COUNTY BOROUGH	..	28,691	18	6	.	5	1	5
GALWAY BOROUGH	..	21,316	4	1	.	1	1	.	.	.	2
DUNDALK URBAN DISTRICT	..	19,678	2	3	.	3	1	5
DROGHEDA URBAN DISTRICT	..	16,779	4	6	.	1	1	1
SLIGO URBAN DISTRICT	..	13,529	5	1	.	1
BRAY URBAN DISTRICT	..	12,062	2
WEXFORD URBAN DISTRICT	..	11,979	5
TRALEE URBAN DISTRICT	..	11,045	5	1	.	1	1
KILKENNY URBAN DISTRICT	..	10,572	1	5	.	2	5
CLONMEL URBAN DISTRICT	..	10,471	1	1	.	1	1
BELFAST	..	443,680	164	88	3	50	2	—	—	—	—	—	—	.	3	2	1	—	—
DERRY	..	50,095	9	6	.	4	—	—	—	—	—	—	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 20th April, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

		DEATHS CAUSED BY																
AGE GROUP		Total Deaths	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
			Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																		
Under 1	4	4
1-4	1	1
5-14	2	3
15-24	7	4	.	.	.	1	.	.	.	1	15
25-44	27	3	6	.	1	.	.	.	33
45-64	43	1	7	35
65 and over	1	8	14	.	1	.	.	.	56
Total	84	131
CORK COUNTY BOROUGH																		
Under 1	2	1	1	9
1-4	1	4
5-14	9
15-24	6	1	9
25-44	10	1	13
45-64	3	1	13
65 and over	13
Total	18	56
TWELVE OTHER TOWNS																		
Under 1	2	1	.	.	.	1
1-4	1	1
5-14	1
15-24	1	6
25-44	8	2	17
45-64	24	4	.	3	.	.	.	17
65 and over	25
Total	36	6	.	4	1	.	.	56





CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 17. Vol. XCIV WEEK ENDED SATURDAY, 27th APRIL, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 424—227 boys and 197 girls.

The number of deaths registered, of persons normally residing in the principal towns was 193. Of these, 5 deaths were due to tuberculosis, and 42 to malignant neoplasms. There were 2 accidental deaths, one of which was due to a transport accident.

Among the deaths of infants under one year, 5 were due to prematurity, 4 to congenital malformation, 3 to atelectasis and 3 to pneumonia.

The total number of births registered during the week in the principal towns, was 733—374 boys and 359 girls, of which 180 boys and 165 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 277, of which 148 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 27th April, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																		
				CAUSED BY																		
				Under 1 year of age		65 years and upward		Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms								Influenza	Pneumonia	Other					
TOTAL 14 TOWNS	851,612	424	193	16	113	5	1	1	42	9	9	.	2	124
DUBLIN COUNTY BOROUGH	522,183	240	117	11	73	2	1	29	3	4	.	1	77
DUN LAOGHAIRE BOROUGH	47,920	22	8	1	5	1	.	.	1	6
CORK COUNTY BOROUGH	74,567	52	25	15	1	1	5	1	2	.	.	16
LIMERICK COUNTY BOROUGH	50,820	22	5	1	2	1	4
WATERFORD COUNTY BOROUGH	28,691	22	10	6	2	3	2	.	.	3
GALWAY BOROUGH	21,316	9	4	1	1	1	3
DUNDALK URBAN DISTRICT	19,678	8	7	1	1	1	.	.	1	.	.	.	5
DROGHEDA URBAN DISTRICT	16,779	7	5	1	3	2	3
SLIGO URBAN DISTRICT	13,529	6	2	2	1	1
BRAY URBAN DISTRICT	12,062	4	2	1	1	1	.	.	.	1
WEXFORD URBAN DISTRICT	11,979	1	1
TRALEE URBAN DISTRICT	11,045	7	4	1	2	1	4
KILKENNY URBAN DISTRICT	10,572	14	2	1	1	1	1
CLONMEL URBAN DISTRICT	10,471	10	1	1	1	1
BELFAST	443,680	142	96	11	.	3	13	.	.	.	2	—
DERRY	50,095	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 2/11/1951, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																
	TOTAL DEATHS	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1 ..	11	2	.	.	.	9
1-4 ..	2	1	1
5-14 ..	8	3
15-24 ..	23	2	3	13
25-44 ..	73	1	17	.	1	3	.	.	51
45-64	
65 and over	
TOTAL ..	117	2	1	29	.	3	4	.	1	77
CORK COUNTY BOROUGH																	
Under 1
1-4
5-14
15-24
25-44 ..	10	1	3	.	1	1	.	.	4
45-64 ..	15	2	.	.	1	.	.	12
65 and over	
TOTAL ..	25	1	5	.	1	2	.	.	16
TWELVE OTHER TOWNS																	
Under 1 ..	5	1	.	.	.	1	.	.	1	3
1-4 ..	2	1	.	.	.	
5-14 ..	1	1
15-24 ..	4	1	3
25-44 ..	14	1	3	8
45-64 ..	25	1	5	.	3	2	.	.	16
65 and over	
TOTAL ..	51	2	1	.	8	.	5	3	.	1	31



THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 18.	Vol. XCIV	WEEK ENDED SATURDAY, 4th MAY, 1957	PRICE 2d. NET
---------	-----------	------------------------------------	---------------

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 408—221 boys and 187 girls.

The number of deaths registered, of persons normally residing in the principal towns was 170. Of these, 4 deaths were due to tuberculosis, and 19 to malignant neoplasms. There were 3 accidental deaths, one of which was due to a transport accident.

Among the deaths of infants under one year, 3 were due to prematurity, 2 to pneumonia, one to injury at birth, one to asphyxia, one to congenital malformation and one to pneumococcal meningitis.

The total number of births registered during the week in the principal towns, was 587—303 boys and 284 girls, of which 184 boys and 167 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 242, of which 113 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 4th May, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.


PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																	
				Caused By																	
				Under 1 year of age	65 years and upward	Respiratory system	Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Influenza	Pneumonia	Other	Diseases of the respiratory system	Gastro-enteritis (under 2 years)	External causes
TOTAL 14 TOWNS	851,612	408	170	9	98	3	1	3	127	65
DUBLIN COUNTY BOROUGH	522,183	261	93	8	45	2	1	1	1	15
DUN LAOGHAIRE BOROUGH	47,920	27	18	.	12	1	1	14
CORK COUNTY BOROUGH	74,567	17	18	.	17	1	1	11
LIMERICK COUNTY BOROUGH	50,820	31	13	.	6	1	5
WATERFORD COUNTY BOROUGH	28,691	5	5	.	3	2
GALWAY BOROUGH	21,316	16	3	3	3	3	2
DUNDALK URBAN DISTRICT	19,673	10	2	.	1	4
DROGHEDA URBAN DISTRICT	16,779	8	5	1	2	2
SLIGO URBAN DISTRICT	13,529	1	2	.	2	2
BRAY URBAN DISTRICT	12,062	7	5
WEXFORD URBAN DISTRICT	11,979	13	7	.	5	1
TRALEE URBAN DISTRICT	11,045	9	2	1
KILKENNY URBAN DISTRICT	10,572	2	1	.	1
CLONMEL URBAN DISTRICT	10,471	1	1	.	1	1
BELFAST	443,680	177	83	8	49	1	13	3	—
DERRY	50,095	25	4	.	2	1	.	—

Notes: The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 4th May, 1907, in Cork and twelve other towns, classified by Cause and Age Group.

AGE GROUP		DEATHS CAUSED BY													TOTAL DEATHS	
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system				
												Influenza	Pneumonia	Other		
DUBLIN COUNTY BOROUGH																
Under 1	2	6
1-4	..	3	1	2
5-14	..	1	3
15-24	1	1	21
25-44	5	..	1	33
45-64	9	65
65 and over	..	45	12	..	3	..	1	65
Total	..	93	2	1	12	..	3	9	1	65
CORK COUNTY BOROUGH																
Under 1
1-4
5-14
15-24	1
25-44	1	..	1	..	1	13
45-64	..	17	1	14
65 and over	..	18	1	..	1	..	1	14
Total	..	18	1	..	1	..	1	14
TWELVE OTHER TOWNS																
Under 1	1
1-4	..	1	1
5-14	3
15-24	1	12
25-44	..	4	3	1	31
45-64	..	17	1	2	2	..	31
65 and over	..	36	6	3	1	48
Total	..	59	1	6	3	1	48

17480/5
C.7.70.
165. 5/57.
DOLLARD.



CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 19	Vol. XCIV	WEEK ENDED SATURDAY, 11th MAY, 1957	PRICE 2d. NET
--------	-----------	-------------------------------------	---------------

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 427—205 boys and 222 girls.

The number of deaths registered, of persons normally residing in the principal towns was 187. Of these, 7 deaths were due to tuberculosis, and 39 to malignant neoplasms. There were 6 accidental deaths, 3 of which were due to transport accidents, one to poisoning and one to drowning.

Among the deaths of infants under one year, 6 were due to prematurity, 5 to pneumonia, one to asphyxia, one to congenital malformation and one to maternal toxæmia.

The total number of births registered during the week in the principal towns, was 697—343 boys and 354 girls, of which 193 boys and 185 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 229, of which 125 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 11th May, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	CAUSED BY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
				Under 1 year of age		65 years and upward																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
				Respiratory system	Other forms	Tuber- culosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

Notes: The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 11th May, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP		DEATHS CAUSED BY															
		TOTAL DEATHS	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			External causes	Other causes
			Respiratory system	Other forms									Influenza	Pneumonia	Other		
DUBLIN COUNTY BOROUGH																	
Under 1	..	8	5
1-4	..	1	1
5-14	..	2	3
15-24	..	6	13
25-44	..	23	1	7	41
45-64	..	63	1	14	63
65 and over
Total	..	104	3	1	21	..	5	5	..	6	63
CORK COUNTY BOROUGH																	
Under 1
1-4
5-14	2
15-24	..	2	2	5
25-44	..	7	6	..	1	13
45-64	..	21	1
65 and over	8	..	1	20
Total	..	30	1
TWELVE OTHER TOWNS																	
Under 1	..	6	4
1-4	..	1	1
5-14	..	1	2
15-24	..	1	4
25-44	..	4	1	1	22
45-64	..	6	8
65 and over	..	34
Total	..	53	2	10	..	5	3	33



CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 20. Vol. XCIV WEEK ENDED SATURDAY, 18th MAY, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 483—247 boys and 236 girls.

The number of deaths registered, of persons normally residing in the principal towns was 183. Of these, 5 deaths were due to tuberculosis, and 28 to malignant neoplasms. There were 4 accidental deaths, one of which was due to a transport accident.

Among the deaths of infants under one year, 3 were due to prematurity, 3 to pneumonia, 2 to measles, 2 to atelectasis, one to congenital malformation, one to upper respiratory infection and one to staphylococcal enteritis.

The total number of births registered during the week in the principal towns, was 843—344 boys and 409 girls, of which 208 boys and 206 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 280, of which 142 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 18th May, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																			
				CAUSED BY																			
				Under 1 year of age	65 years and upward	Tuber- culosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes			
		Respiratory system	Other forms									Influenza	Pneumonia	Other									
TOTAL 14 TOWNS	..	483	183	13	123	5	2	1	28	1	13	9	1	4	119
DUBLIN COUNTY BOROUGH	..	522,183	117	9	73	3	2	.	18	.	9	8	1	3	73
DUN LAOGHAIRE BOROUGH	..	47,920	15	1	12	4	1	2	.	.	.	8
CORK COUNTY BOROUGH	..	74,567	40	1	8	2	.	1	1	.	.	8
LIMERICK COUNTY BOROUGH	..	50,820	44	5	4	1	1	.	.	1	3
WATERFORD COUNTY BOROUGH	..	28,691	17	8	6	1	.	1	.	.	1	6
GALWAY BOROUGH	..	21,316	5	7	4	7
DUNDALK URBAN DISTRICT	..	19,678	8	4	4	1	1	2
DROGHEDA URBAN DISTRICT	..	16,779	11	3	3	1	2
SLIGO URBAN DISTRICT	..	13,529	12	3	1	1	2
BRAY URBAN DISTRICT	..	12,062	6	1	1	1
WEXFORD URBAN DISTRICT	..	11,979	7	2	2	2
TRALEE URBAN DISTRICT	..	11,045	1	3	3	3
KILKENNY URBAN DISTRICT	..	10,572	1	3	3	3
CLONMEL URBAN DISTRICT	..	10,471	3
BELFAST	..	443,680	180	77	10	50	2	1	6	1	1	—	—
DERRY	..	50,095	17	2	2	—	—


Notes: The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 18th May, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY														
	Total Deaths	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			
		Respiratory system	Other forms									Influenza	Pneumonia	Other	
DUBLIN COUNTY BOROUGH															
Under 1 ..	9	2	.	.	.	1	1	4
1-4 ..	2	1	.	1	.	1
5-14 ..	3	1	1
15-24 ..	1	1
25-44 ..	5	1	1	3
45-64 ..	24	3	11	.	6	1	13
65 and over ..	73	18	.	9	1	50
Total ..	117	3	2	.	18	.	9	8	73
CORK COUNTY BOROUGH															
Under 1 ..	1	1	.	.
1-4
5-14
15-24 ..	2
25-44 ..	1	1	1
45-64 ..	8	7
65 and over ..	12	2	.	1	1	8
Total ..	24	2	6	.	3	.	24
TWELVE OTHER TOWNS															
Under 1 ..	3	1	.	.	1	.	2
1-4 ..	1
5-14
15-24 ..	8	1	2	1	2	.	5
25-44 ..	42	1	6	1	1	1	31
45-64 ..	54	2	1	8	1	3	.	38
65 and over ..	54	2	1	8	1	3	.	38
Total ..	117	11	2	6	24	6	11	.	117

27 MAY 1957

FILE



CUNNTAS SEACHTAINIUIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 21.	Vol. XCIV	WEEK ENDED SATURDAY, 25th MAY, 1957	PRICE 2d. NET
---------	-----------	-------------------------------------	---------------

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 439—240 boys and 199 girls.

The number of deaths registered, of persons normally residing in the principal towns was 160. Of these, 5 deaths were due to tuberculosis, and 20 to malignant neoplasms. There were 3 accidental deaths.

Among the deaths of infants under one year, 4 were due to prematurity, 3 to pneumonia, 2 to injury at birth, 2 to congenital malformation, one to peritonitis, one to asthenia, one to septicaemia and one to hernia.

The total number of births registered during the week in the principal towns, was 741—406 boys and 335 girls, of which 208 boys and 182 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 226, of which 119 were registered in Dublin County Borough.


TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 25th May, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS		POPULATION 1951	BIRTHS	DEATHS	CAUSED BY																
					Under 1 year of age	65 years and upward	Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
							Respiratory system	Other forms								Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	..	851,612	439	160	15	97	3	2	1	20	1	8	6	.	3	116
DUBLIN COUNTY BOROUGH	..	522,183	271	90	8	60	3	17	1	3	4	.	1	60
DUN LAOGHAIRE BOROUGH	..	47,920	23	13	1	6	1	.	.	12
CORK COUNTY BOROUGH	..	74,567	63	14	1	9	.	1	1	.	2	.	.	10	
LIMERICK COUNTY BOROUGH	..	50,820	24	12	.	7	1	1	11
WATERFORD COUNTY BOROUGH	..	28,691	3	3	.	1	1	.	1	.	.	1	.
GALWAY BOROUGH	..	21,316	9	5	1	3	5
DUNDALK URBAN DISTRICT	..	19,678	12	6	1	3	1	5
DROGHEDA URBAN DISTRICT	..	16,779	7	2	.	1	1	.	.	.	1
SLIGO URBAN DISTRICT	..	13,529	1	2	.	2	2
BRAY URBAN DISTRICT	..	12,062	6	4	1	1	4
WEXFORD URBAN DISTRICT	..	11,979	3	3	.	1	3
TRALEE URBAN DISTRICT	..	11,045	3	3	1	1	.	1	2
KILKENNY URBAN DISTRICT	..	10,572	8
CLONMEL URBAN DISTRICT	..	10,471	6	3	1	2	1	1	.	.	1
BELFAST	..	443,680	165	101	7	67	25	2	.	.	—
DERRY	..	50,095	15	7	1	5	1	.	.	—

Notes: The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 25th May, 1951, which were assigned to Dublin and Cork County Borough and twelve other towns, classified by Cause and Age Group.

DEATHS CAUSED BY																	
AGE GROUP	Total Deaths	DUBLIN COUNTY BOROUGH															
		Tuberculosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes	
											Respiratory system	Other forms	Influenza				Pneumonia
Under 1 ..	8												2				6
1-4 ..																	
5-14 ..																	2
15-24 ..	2																12
25-44 ..	20												1				40
45-64 ..	60												1				
65 and over ..																	60
Total ..	90												3			1	
CORK COUNTY BOROUGH																	
Under 1 ..	1																1
1-4 ..																	
5-14 ..																	
15-24 ..	1																
25-44 ..	3																2
45-64 ..	9																7
65 and over ..																	
Total ..	14																10
TWELVE OTHER TOWNS																	
Under 1 ..	6																5
1-4 ..	1																1
5-14 ..	1																1
15-24 ..	1																1
25-44 ..	18																15
45-64 ..	28																24
65 and over ..																	
Total ..	56																46



CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 22.	Vol. XCIV	WEEK ENDED SATURDAY, 1st JUNE, 1957	PRICE 2d. NET
---------	-----------	-------------------------------------	---------------

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 347—170 boys and 177 girls.

The number of deaths registered, of persons normally residing in the principal towns was 157. Of these, 4 deaths were due to tuberculosis, and 24 to malignant neoplasms. There were 4 accidental deaths, one of which was due to a transport accident and one to poisoning.

Among the deaths of infants under one year, one was due to prematurity, 2 to pneumonia, 3 to injury at birth, 2 to septicaemia and one to gastro-enteritis.

The total number of births registered during the week in the principal towns, was 593—297 boys and 296 girls, of which 169 boys and 139 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 240, of which 126 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 1st June, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.


PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	CAUSED BY																			
				DEATHS																			
				Under 1 year of age	65 years and upward	Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory systems			Gastro-enteritis (under 2 years)	External causes	Other causes		
						Respiratory system	Other forms									Influenza	Pneumonia	Other					
TOTAL 14 TOWNS	851,612	347	157	9	99	4										1	24		11	6	1	4	106
DUBLIN COUNTY BOROUGH	522,183	207	95	2	64	4										1	17		8	3	1	2	59
DUN LAOGHAIRE BOROUGH	47,920	23	9	3	5												1		1	1			6
CORK COUNTY BOROUGH	74,567	17	19		12												3		2	2		1	11
LIMERICK COUNTY BOROUGH	50,820	25	9	2	3												1						8
WATERFORD COUNTY BOROUGH	28,691	14	5		3												1						4
GALWAY BOROUGH	21,316	8	1		1																		1
DUNDALK URBAN DISTRICT	19,678	7	1																				1
DROGHEDA URBAN DISTRICT	16,779	9	4	1	3																		4
SLIGO URBAN DISTRICT	13,529	1	6		3																	1	5
BRAY URBAN DISTRICT	12,062	9	2	1	1																		2
WEXFORD URBAN DISTRICT	11,979	7																					
TRALE URBAN DISTRICT	11,045	2	5		3												1						4
KILKENNY URBAN DISTRICT	10,572	11																					
CLONMEL URBAN DISTRICT	10,471	7	1		1																		1
BELFAST	443,680	203	88	4	50	1													8	8	1		
DERRY	50,095	15	7		6														1				

Notes: The populations given are those ascertained at the Census of 8th April, 1951.

A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 1st June, 1927, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP		DEATHS CAUSED BY																
		Total Deaths	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
			Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																		
Under 1	..	2	1	..	1	..	1
1-4	..	1	1	1	1
5-14	..	2	2
15-24	..	7	1	1	1	1	..	1	13
25-44	..	19	2	3	43
45-64	..	64	1	12	5	2	..	1	33
65 and over	..	64	1	13
Total	..	95	4	17	8	3	1	2	59
CORK COUNTY BOROUGH																		
Under 1
1-4
5-14
15-24
25-44	..	7	1	2	1	..	1	5
45-64	..	12	2	2	1	..	1	6
65 and over
Total	..	19	3	2	2	..	1	11
TWELVE OTHER TOWNS																		
Under 1	..	7	1	6
1-4
5-14
15-24	..	1	1	1	3
25-44	..	5	1	6
45-64	..	7	1	21
65 and over	..	23	1	1	6
Total	..	43	4	1	1	..	1	36





THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 23.	Vol. XCIV	WEEK ENDED SATURDAY, 8th JUNE, 1957	PRICE 2d. NET
---------	-----------	-------------------------------------	---------------

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 548—287 boys and 261 girls.

The number of deaths registered, of persons normally residing in the principal towns was 149. Of these, one death was due to tuberculosis, and 19 to malignant neoplasms. There were 5 accidental deaths, 2 of which were due to transport accidents and one to carbon monoxide poisoning. There was one suicide.

Among the deaths of infants under one year, 6 were due to prematurity, 6 to atelectasis, one to congenital malformation, one to peritonitis, one to nephritis, one to bronchiolitis, one to eczema, and one to gastro-enteritis.

The total number of births registered during the week in the principal towns, was 864—453 boys and 411 girls, of which 244 boys and 229 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 232, of which 116 were registered in Dublin County Borough.

TABLE 2.—Deaths registered during week ended Saturday, 8th June, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY													
	TOTAL DEATHS	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system		
		Respiratory system	Other forms									Influenza	Pneumonia	Other
DUBLIN COUNTY BOROUGH														
Under 1 ..	11	1	.	9
1-4 ..	2	1
5-14 ..	1	1
15-24 ..	1	1
25-44 ..	23	1	1	18
45-64 ..	43	1	5	4	3	30
65 and over ..	83	1	8	6	4	59
TOTAL ..														
CORK COUNTY BOROUGH														
Under 1
1-4
5-14 ..	1	1	.
15-24 ..	5	1	.	.	3
25-44 ..	10	1	.	.	9
45-64 ..	16	2	.	1	12
65 and over ..														
TOTAL ..														
TWELVE OTHER TOWNS														
Under 1 ..	7	7
1-4 ..	1	1
5-14 ..	3	2
15-24 ..	9	8
25-44 ..	30	7	.	3	19
45-64 ..	50	9	.	3	37
65 and over ..														
TOTAL ..														



THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 24. Vol. XCIV WEEK ENDED SATURDAY, 15th JUNE, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 454—239 boys and 215 girls.

The number of deaths registered, of persons normally residing in the principal towns was 138. Of these, 6 deaths were due to tuberculosis, and 22 to malignant neoplasms. There were 3 accidental deaths, one of which was due to a transport accident. There was one suicide.

Among the deaths of infants under one year, 4 were due to prematurity, 2 to atelectasis, 2 to hæmorrhagic disease, 2 to pneumonia, one to pharyngitis, one to injury at birth, one to liver hæmorrhage and one to cardiac failure.

The total number of births registered during the week in the principal towns, was 761—417 boys and 344 girls, of which 214 boys and 176 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 217, of which 117 were registered in Dublin County Borough.


TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 15th June, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS		POPULATION 1951	BIRTHS	DEATHS	CAUSED BY													Other causes			
					Under 1 year of age		Diseases of the respiratory system												External causes		
					65 years and upward	Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system					
						Respiratory system	Other forms									Influenza	Pneumonia			Other	
TOTAL 14 TOWNS		851,612	454	138	14	75	5	1	1	22	.	5	10	.	4	90
DUBLIN COUNTY BOROUGH		522,183	277	88	7	46	3	1	16	.	4	7	.	2	55
DUN LAOGHAIRE BOROUGH		47,920	19	5	.	4	1	4
CORK COUNTY BOROUGH		74,567	59	12	1	6	1	1	.	.	1	.	.	9
LIMERICK COUNTY BOROUGH		50,820	34	5	.	2	1	.	.	.	1	.	3
WATERFORD COUNTY BOROUGH		28,691	15	7	2	5	1	6
GALWAY BOROUGH		21,316	14	2	.	2	1	1
DUNDALK URBAN DISTRICT		19,678	5	4	.	3	1	.	.	.	1	.	.	2
DROGHEDA URBAN DISTRICT		16,779	10	4	2	2	4
SLIGO URBAN DISTRICT		13,529	1
BRAY URBAN DISTRICT		12,062	3	2	1	1	.	1
WEXFORD URBAN DISTRICT		11,979	1	2	.	1	1	1
TRALE URBAN DISTRICT		11,045	4	3	.	3	1	2
KILKENNY URBAN DISTRICT		10,572	7	3	1	1	2
CLONMEL URBAN DISTRICT		10,471	5	1	.	1	1	.	.	.
BELFAST		443,680	168	78	5	56	--	.	4	1	.	--	--
DERBY		50,095	21	5	3	3	--	--	--

Notes: The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 15th June, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY														
	Total Deaths	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other	
DUBLIN COUNTY BOROUGH															
Under 1	7	2	.	2	1	4
1-4	2	1
5-14	1	1
15-24	1	1
25-44	5	1	1	.	.	.	3
45-64	26	1	1	5	.	2	2	15
65 and over	46	1	1	3	.	2	4	31
Total	88	3	1	16	.	4	7	55
CORK COUNTY BOROUGH															
Under 1	1	1
1-4
5-14
15-24	1	1
25-44	1	1	1	.	.	.	2
45-64	4	1	1	5
65 and over	6	9
Total	12	1	1	.	.	1	9
TWELVE OTHER TOWNS															
Under 1	6	6
1-4	1	1
5-14	1
15-24	1	1
25-44	7	2	.	.	1	4
45-64	23	1	3	.	1	2	16
65 and over
Total	38	1	1	5	.	1	2	26



CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 25. Vol. XCIV WEEK ENDED SATURDAY, 22nd JUNE, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 378—195 boys and 183 girls.

The number of deaths registered, of persons normally residing in the principal towns was 161. Of these, 31 deaths were due to malignant neoplasms. There were 2 accidental deaths.

Among the deaths of infants under one year, 5 were due to congenital malformation, 3 to gastro-enteritis, 3 to prematurity, 2 to injury at birth, one to peritonitis, one to kernicterus and one to toxæmia.

The total number of births registered during the week in the principal towns, was 602—317 boys and 285 girls, of which 185 boys and 163 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 224, of which 104 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 22nd June, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS		POPULATION 1951	BIRTHS	DEATHS	DEATHS																
					CAUSED BY																
					Under 1 year of age	65 years and upward	Tuber- culosis	Scarlet fever	Diphtheria	Whooping cough	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes	
						Respiratory system	Other forms								Influenza	Pneumonia	Other				
TOTAL 14 TOWNS	..	851,612	378	161	16	101	1	3	5	3	2	116
DUBLIN COUNTY BOROUGH	..	522,183	260	79	6	52	1	3	1	2	1	53
DUN LAOGHAIRE BOROUGH	..	47,920	18	8	.	6	6
CORK COUNTY BOROUGH	..	74,567	30	23	.	15	2	.	.	1	16
LIMERICK COUNTY BOROUGH	..	50,820	14	21	3	10	1	.	.	.	15
WATERFORD COUNTY BOROUGH	..	28,691	12	4	.	3	3
GALWAY BOROUGH	..	21,316	3	3	1	1	2
DUNDALK URBAN DISTRICT	..	19,678	7	6	4	2	1	.	4
DROGHEDA URBAN DISTRICT	..	16,779	7	6	.	5	6
SLIGO URBAN DISTRICT	..	13,529	1	1	.	1	1
BRAY URBAN DISTRICT	..	12,062	6	4	1	2	4
WEXFORD URBAN DISTRICT	..	11,979	2	1	.	1	1
TRALEE URBAN DISTRICT	..	11,045	8	1	1
KILKENNY URBAN DISTRICT	..	10,572	5	3	1	2	3
CLONMEL URBAN DISTRICT	..	10,471	5	1	.	1	1
BELFAST	..	443,680	167	85	7	49	2	—	—	—	—	.	15	1	1	—	—
DERRY	..	50,095	21	3	.	2	—	—	—	—	—	—

Notes The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 22nd June, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

DEATHS CAUSED BY																	
AGE GROUP	TOTAL DEATHS										DUBLIN COUNTY BOROUGH						
	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes	
	Respiratory system	Other forms									Influenza	Pneumonia	Other				
Under 1	4
1-4
5-14
15-24	2
25-44	9
45-64	38
65 and over	53
Total	166
CORK COUNTY BOROUGH																	
Under 1
1-4
5-14
15-24
25-44	5
45-64	11
65 and over	16
Total	59
TWELVE OTHER TOWNS																	
Under 1
1-4	9
5-14
15-24	1
25-44	9
45-64	28
65 and over	47
Total	166



CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS
WEEKLY RETURNS OF BIRTHS AND DEATHS
FOR THE
PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from
THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 26. Vol. XCIV WEEK ENDED SATURDAY, 29th JUNE, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 518—256 boys and 262 girls.

The number of deaths registered, of persons normally residing in the principal towns was 145. Of these, 6 deaths were due to tuberculosis and 15 to malignant neoplasms. There were 5 accidental deaths, one of which was due to drowning. There were 2 suicides.

Among the deaths of infants under one year, 4 were due to prematurity, 3 to congenital malformation, 3 to atelectasis, 2 to injury at birth, one to mongolism, one to broncho-pneumonia, one to gastro-enteritis, one to lymphatic leukaemia and one to maternal toxæmia.

The total number of births registered during the week in the principal towns, was 861—39 boys and 422 girls, of which 236 boys and 211 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 223, of which 123 were registered in Dublin County Borough.


TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 29th June, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS			POPULATION 1951	BIRTHS	DEATHS	CAUSED BY													DEATHS				
		Under 1 year of age				65 years and upward	Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system		Gastro-enteritis (under 2 years)	External causes	Other causes		
TOTAL 14 TOWNS		..	851,612	518	145	17	78	4	2	1	15	.	6	6	1	7	103
DUBLIN COUNTY BOROUGH		..	522,183	326	96	12	52	4	2	10	.	5	2	1	6	66
DUN LAOGHAIRE BOROUGH		..	47,920	24	11	2	8	2	.	.	11
CORK COUNTY BOROUGH		..	74,367	43	13	.	7	1	.	.	2	.	.	9
LIMERICK COUNTY BOROUGH		..	50,820	39	4	2	1	1	1	.	.	2	.	.	3
WATERFORD COUNTY BOROUGH		..	28,691	16	4	.	3	1	.	.	2	.	.	1
GALWAY BOROUGH		..	21,316	10	4	1	2	1	3
DUNDALK URBAN DISTRICT		..	19,678	9	1
DROGHEDA URBAN DISTRICT		..	16,779	13	1	1	1
SLIGO URBAN DISTRICT		..	13,529	4	2	1
BRAY URBAN DISTRICT		..	12,062	2	1
WEXFORD URBAN DISTRICT		..	11,979	16	4	.	2	4
TRALICE URBAN DISTRICT		..	11,045	4	3	.	1	1	2
KILKENNY URBAN DISTRICT		..	10,572	.	1	.	1	1
CLONMEL URBAN DISTRICT		..	10,471	12	2	.	1	1
BELFAST		..	443,680	167	76	5	47	2	11	1	.	.	—
DERRY		..	50,095	29	8	4	4	—

Notes.—The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 29th June, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP		DEATHS CAUSED BY													Total Deaths		
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system					
												Respiratory system	Other forms	Influenza	Pneumonia		Other
DUBLIN COUNTY BOROUGH																	
Under 1	1	..	1	..	1	..	9
1-4	2	2
5-14	1	1
15-24	2	3
25-44	1	12
45-64	2	39
65 and over	1	66
Total	10	..	5	2	1	6	
CORK COUNTY BOROUGH																	
Under 1
1-4	1
5-14	1
15-24	3
25-44	5
45-64	1	1	..	1	9
65 and over
Total	1	2	..	1	
TWELVE OTHER TOWNS																	
Under 1	5
1-4	1
5-14
15-24
25-44	2	6
45-64	1	17
65 and over	2
Total	1	4	..	1	2	28



CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS
WEEKLY RETURNS OF BIRTHS AND DEATHS
FOR THE
PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from
THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 27. Vol. XCIV WEEK ENDED SATURDAY, 6th JULY, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 396—206 boys and 190 girls.

The number of deaths registered, of persons normally residing in the principal towns was 143. Of these, 3 deaths were due to tuberculosis and 29 to malignant neoplasms. There were 4 accidental deaths, 2 of which were due to transport accidents, one to electrocution, and one to drowning.

Among the deaths of infants under one year, 3 were due to congenital malformation, 2 to injury at birth and one to prematurity.

The total number of births registered during the week in the principal towns, was 630—332 boys and 298 girls, of which 177 boys and 140 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 223, of which 93 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 6th July, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS		DEATHS		CAUSED BY														
		Under 1 year of age	65 years and upward	Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes	
				Respiratory system	Other forms									Influenza	Pneumonia	Other				
TOTAL 14 TOWNS	851,612	396	143	6	92	3	29	.	4	2	.	4	53
DUBLIN COUNTY BOROUGH	522,183	235	74	1	43	2	13	.	1	1	.	4	9
DUN LAOGHAIRE BOROUGH	47,920	24	11	.	10	2	5
CORK COUNTY BOROUGH	74,567	37	8	1	5	2	.	1	.	.	.	12
LIMERICK COUNTY BOROUGH	50,820	27	17	1	13	1	3	.	.	1	.	.	2
WATERFORD COUNTY BOROUGH	28,691	6	2	.	2	2
GALWAY BOROUGH	21,316	8	5	1	2	3	.	1	.	.	.	1
DUNDALK URBAN DISTRICT	19,678	6	7	.	5	3	.	1	.	.	.	3
DROGHEDA URBAN DISTRICT	16,779	7	1	.	1	1
SLIGO URBAN DISTRICT	13,529	12	4	.	3	4
BRAY URBAN DISTRICT	12,062	2	2	1	1	2
WEXFORD URBAN DISTRICT	11,979	10	3	.	2	1	2
TRALEE URBAN DISTRICT	11,045	7	3	1	2	3
KILKENNY URBAN DISTRICT	10,572	13	2	.	1	1	1
CLONMEL URBAN DISTRICT	10,471	2	4	.	2	1	3
BELFAST	443,680	158	65	3	51	—	.	11	2	.	—	—
DERRY	50,095	15	3	—	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 6th July, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY														
	TOTAL DEATHS	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other	
DUBLIN COUNTY BOROUGH															
Under 1	1	1	
1-4	1	1	.	.	.	
5-14	1	1	.	1	.	
15-24	5	1	.	2	2	
25-44	23	2	8	.	1	11	
45-64	43	3	.	1	39	
65 and over		
Total	74	2	13	.	1	53	
CORK COUNTY BOROUGH															
Under 1	1	1	
1-4	
5-14	
15-24	
25-44	2	2	.	1	1	
45-64	5	1	3	
65 and over		
Total	8	2	.	1	5	
TWELVE OTHER TOWNS															
Under 1	4	4	
1-4	
5-14	
15-24	1	1	
25-44	12	4	.	.	8	
45-64	44	1	10	.	2	30	
65 and over		
Total	61	1	14	.	2	43	

RECEIVED

15 JUL 1957

ANSO.

FILE



THE ROYAL SOCIETY
OF MEDICINE

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 28. Vol. XCIV WEEK ENDED SATURDAY, 13th JULY, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 450—214 boys and 236 girls.

The number of deaths registered, of persons normally residing in the principal towns was 160. Of these, 4 deaths were due to tuberculosis and 34 to malignant neoplasms. There were 4 accidental deaths, 2 of which were due to drowning and one to burns. There was one suicide.

Among the deaths of infants under one year, 4 were due to atelectasis, 3 to prematurity, 2 to injury at birth, one to pneumonia, one to tuberculous meningitis, and one to congenital malformation.

The total number of births registered during the week in the principal towns, was 707—342 boys and 365 girls, of which 190 boys and 201 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 237, of which 125 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 13th July, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																
				Caused By																
				Under 1 year of age	65 years and upward	Respiratory system	Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Miscellaneous	(Other infective and parasitic diseases)	Malignant neoplasms	Diseases of the respiratory system				
														Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)	External causes	Other causes	
TOTAL 14 TOWNS	851,612	450	160	12	79	3	1												5	103
DUBLIN COUNTY BOROUGH	522,183	300	102	7	56	3	1												3	62
DUN LAOGHAIRE BOROUGH	47,920	10	6		1															3
CORK COUNTY BOROUGH	74,567	36	21	5	9															18
LIMERICK COUNTY BOROUGH	50,820	21	5		3															4
WATERFORD COUNTY BOROUGH	28,691	22	10		4															7
GALWAY BOROUGH	21,316	11	2																	1
DUNDALK URBAN DISTRICT	19,878	6	2		1														1	
DROGHEDA URBAN DISTRICT	16,779	6	4		2														1	3
SLIGO URBAN DISTRICT	13,529	6	4		3															4
BRAY URBAN DISTRICT	12,062	12	2																	
WEXFORD URBAN DISTRICT	11,979	8	1																	1
TRALEE URBAN DISTRICT	11,045	6																		
KILKENNY URBAN DISTRICT	10,572	2																		
CLONMEL URBAN DISTRICT	10,471	4	1																	
BELFAST	443,680	159	54	3	30															
DERRY	50,095	13	1		1															

Notes: The populations given are those ascertained at the Census of 1951. A dash (—) indicates that the information is not supplied.

9th April, 1957

TABLE 2.—Deaths registered during week ended Saturday, 13th July, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP		DEATHS CAUSED BY																
		Total Deaths	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
			Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																		
Under 1	7	5
1-4	2	1
5-14	1	1
15-24	1	1
25-44	7	3
45-64	28	14	12
65 and over	56	7	39
Total	102	3	1	21	62
CORK COUNTY BOROUGH																		
Under 1	5	5
1-4
5-14	1
15-24	1
25-44
45-64	6	1	5
65 and over	9	2	7
Total	21	3	18
TWELVE OTHER TOWNS																		
Under 1
1-4	2	2
5-14	1	1
15-24
25-44	3	8
45-64	17	8	11
65 and over	14	2
Total	37	10	2	..	23

RECEIVED	
26 JUL 1957	
ALSD.	
FILE	



CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 29.	Vol. XCIV	WEEK ENDED SATURDAY, 20th JULY, 1957	PRICE 2d. NET
---------	-----------	--------------------------------------	---------------

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 384—195 boys and 189 girls.

The number of deaths registered, of persons normally residing in the principal towns was 125. Of these, 3 deaths were due to tuberculosis and 21 to malignant neoplasms. There were 7 accidental deaths, 2 of which were due to transport accidents and one to drowning.

Among the deaths of infants under one year, 4 were due to congenital malformation. 2 to prematurity, 2 to injury at birth, 2 to gastro-enteritis, one to pneumonia, one to neo-natal septicaemia, one to mongolism, one to empyema and one to atelectasis.

The total number of births registered during the week in the principal towns, was 577—295 boys and 282 girls, of which 165 boys and 158 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 209, of which 96 were registered in Dublin County Borough.


TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 20th July, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	Under 1 year of age	65 years and upward	DEATHS												Caused By					Diseases of the respiratory system				External causes	Other causes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
						Tubercu- culosis	Scarlet fever	Diphtheria	Whooping cough	Acute pharyn- gitis	Acute bron- chitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Influenza		Pneumonia	Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
															Heavenly system	Other forms																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
TOTAL 14 TOWNS	89,482	388	121	15	67	3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															

Notes The populations given are those ascertained at the Census of 30th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 20th July, 1957, which were assigned to Dublin and Cork County boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY																
	TOTAL DEATHS	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system					
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1 ..	11	1	1	2	.	7
1-4 ..	2	2	.
5-14 ..	2	1	1
15-24 ..	22	2	1	.	.	1	.	.	10
25-44 ..	34	2	1	.	.	5	.	1	25
45-64	1	.	.	2	.	.	25
65 and over	10	.	.	4	2	3	42
Total ..	71	3	10	.	.	7	2	3	42
CORK COUNTY BOROUGH																	
Under 1
1-4
5-14
15-24
25-44 ..	8	3	1	5
45-64 ..	8	2	5
65 and over	2	5
Total ..	16	5	1	10
TWELVE OTHER TOWNS																	
Under 1 ..	4	4
1-4 ..	1	1
5-14 ..	1	1
15-24 ..	2	1
25-44 ..	5	6	5
45-64 ..	25	1	.	.	1	.	1	16
65 and over	6	27
Total ..	38	6	.	.	1	.	3	27



CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 30.	Vol. XCIV	WEEK ENDED SATURDAY, 27th JULY, 1957	PRICE 2d. NET
---------	-----------	--------------------------------------	---------------

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 381—197 boys and 184 girls.

The number of deaths registered, of persons normally residing in the principal towns was 155. Of these, 7 deaths were due to tuberculosis and 22 to malignant neoplasms. There were 4 accidental deaths, one of which was due to carbon monoxide poisoning.

Among the deaths of infants under one year, 2 were due to congenital malformation, one to prematurity, one to pneumonia, one to atelectasis, one to enlarged thymus, one to measles, one to rhesus incompatibility and one to *oidium albicans* infection.

The total number of births registered during the week in the principal towns, was 622—325 boys and 297 girls, of which 168 boys and 158 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 230, of which 118 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 27th July, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS		POPULATION 1951	BIRTHS	DEATHS	CAUSED BY																					
					Under 1 year of age		65 years and upward		Respiratory system		Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
TOTAL 14 TOWNS		851,612	381	155	11	91	7	1	1	22	1	4	6	.	4	109
DUBLIN COUNTY BOROUGH		522,183	228	97	8	53	4	1	1	14	1	1	4	.	2	69
DUN LAOGHAIRE BOROUGH		47,920	24	10	.	7	1	1	8	
CORK COUNTY BOROUGH		74,567	36	19	1	15	1	2	2	1	.	1	12	
LIMERICK COUNTY BOROUGH		50,820	33	6	.	1	1	1	4	
WATERFORD COUNTY BOROUGH		28,691	13	2	.	2	3	1	
GALWAY BOROUGH		21,316	5	4	1	1	1	2	
DUNDALK URBAN DISTRICT		19,678	10	2	1	1	1	
DROGHEDA URBAN DISTRICT		16,779	6	1	.	1	4	
SLIGO URBAN DISTRICT		13,529	2	4	.	3	5	
BRAY URBAN DISTRICT		12,062	5	6	.	3	1	1	
WEXFORD URBAN DISTRICT		11,979	11	2	.	2	2	
TRALEE URBAN DISTRICT		11,045	4	
KILKENNY URBAN DISTRICT		10,572	1	2	.	2	
CLONMEL URBAN DISTRICT		10,471	3	
BELFAST		443,680	155	59	4	33	2	—	
DERRY		50,095	12	8	.	5	—	

Notes The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

DEATHS CAUSED BY

AGE GROUP

TOTAL DEATHS

Tuberculosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
									Influenza	Pneumonia	Other			

DUBLIN COUNTY BOROUGH

Under 1	1	1	4
1-4	1	1	1	1
5-14	1	2
15-24	1	..	1	2
25-44	2	1	..	1	17
45-64	4	43
65 and over	8	2	69
Total	1	1	14	1	1	4	..	2	..

CORK COUNTY BOROUGH

Under 1	1
1-4	1
5-14
15-24	1	..
25-44
45-64	2	..	2	1	10
65 and over
Total	2	..	2	1	..	1	12

TWELVE OTHER TOWNS

Under 1	1	1
1-4	1	..
5-14
15-24	1
25-44	3	18
45-64	1	..	1	1
65 and over	2
Total	6	..	1	1	..	1	28



CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from
THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 31. Vol. XCIV WEEK ENDED SATURDAY, 3rd AUGUST, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 393—198 boys and 195 girls.

The number of deaths registered, of persons normally residing in the principal towns was 132. Of these, one death was due to diphtheria, one to tuberculosis and 23 to malignant neoplasms. There were 6 accidental deaths, 2 of which were due to transport accidents and 3 to drowning.

Among the deaths of infants under one year, 4 were due to congenital malformation, 2 to prematurity, 2 to gastro-enteritis and one to intestinal obstruction.

The total number of births registered during the week in the principal towns, was 631—316 boys and 315 girls, of which 178 boys and 178 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 202, of which 107 were registered in Dublin County Borough.


TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 3rd August, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																	
				CAUSED BY																	
				Under 1 year of age	65 years and upward	Tuber- culosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes	
		Respiratory system	Other forms										Influenza	Pneumonia	Other						
TOTAL 14 TOWNS	851,612	393	132	9	71	.	1	.	1	23	.	2	5	2	6	92
DUBLIN COUNTY BOROUGH	522,183	254	81	8	40	.	1	.	1	16	.	2	4	2	2	53
DUN LAOGHAIRE BOROUGH	47,920	15	9	.	6	5	4
CORK COUNTY BOROUGH	74,567	33	14	.	8	1	13
LIMERICK COUNTY BOROUGH	50,820	20	3	.	1	3
WATERFORD COUNTY BOROUGH	28,691	15	10	.	6	1	.	.	.	9
GALWAY BOROUGH	21,316	6	4	.	2	4	1
DUNDALK URBAN DISTRICT	19,678	6	1	1	3
DROGHEDA URBAN DISTRICT	16,779	12	3	.	2	1
SLIGO URBAN DISTRICT	13,529	12	1	.	1	3
BRAY URBAN DISTRICT	12,062	9	3	.	2	1
WEXFORD URBAN DISTRICT	11,979	7	2	.	2	1	1
TRALEE URBAN DISTRICT	11,045	2	1
KILKENNY URBAN DISTRICT	10,572	.	1	.	1	1
CLONMEL URBAN DISTRICT	10,471	2
BELFAST	443,680	175	89	3	57	1	—	.	10	4	.	—	—
DERRY	50,095	20	6	.	5	—	—	—

Notes The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 2nd December 1923, and 1924, in Dublin, Cork, and twelve other towns, classified by Cause and Age Group.

AGE GROUP		DEATHS CAUSED BY													TOTAL DEATHS		
		Tuberculosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)		External causes	Other causes
											Respiratory system	Other forms	Influenza				
DUBLIN COUNTY BOROUGH																	
Under 1	6
1-4	2
5-14	1
15-24	2
25-44	16
45-64	26
65 and over	1
Total	53
CORK COUNTY BOROUGH																	
Under 1
1-4
5-14
15-24
25-44	5
45-64	8
65 and over
Total	13
TWELVE OTHER TOWNS																	
Under 1	1
1-4	1
5-14
15-24	2
25-44	7
45-64	16
65 and over	17
Total	26



CUNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 32.	Vol. XCIV	WEEK ENDED SATURDAY, 10th AUGUST, 1957	PRICE 2d. NET
---------	-----------	--	---------------

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 351—157 boys and 194 girls.

The number of deaths registered, of persons normally residing in the principal towns was 122. Of these, one death was due to lymphocytic meningitis and 28 to malignant neoplasms. There were 2 accidental deaths, one of which was due to a transport accident. There was one suicide.

Among the deaths of infants under one year, one was due to congenital malformation, one to prematurity, one to gastro-enteritis, one to pneumonia and 2 to birth injury.

The total number of births registered during the week in the principal towns, was 540—256 boys and 284 girls, of which 159 boys and 171 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 165, of which 104 were registered in Dublin County Borough.


TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 10th August, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	CAUSED BY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
				Under 1 year of age		65 years and upward		Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
				Respiratory system	Other forms	Influenza	Pneumonia	Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
TOTAL 14 TOWNS	122	6	80

Notes The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 10th August, 1957, which were assigned to Dublin and Cork County boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY														Total Deaths		
	Respiratory system	Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)		External causes	Other causes
											Influenza	Pneumonia	Other				
DUBLIN COUNTY BOROUGH																	
Under 1	4													1		2	
1-4	1						1									1	
5-14	1															1	
15-24	3									1						2	
25-44	21									6					1	11	
45-64	50									8						41	
65 and over																	
Total	80						1			18		1		1	1	57	
CORK COUNTY BOROUGH																	
Under 1	1															1	
1-4																	
5-14										1							
15-24	1																
25-44	2									1					1	3	
45-64	6									2							
65 and over																	
Total	10									4				1	1	4	
TWELVE OTHER TOWNS																	
Under 1	1															1	
1-4																	
5-14																	
15-24	1															1	
25-44	6									3						3	
45-64	24									3					1	19	
65 and over																	
Total	32									6				1	1	24	



CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from
THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 33. Vol. XCIV WEEK ENDED SATURDAY, 17th AUGUST, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 383—182 boys and 201 girls.

The number of deaths registered, of persons normally residing in the principal towns was 147. Of these, 3 deaths were due to tuberculosis and 29 to malignant neoplasms.

Among the deaths of infants under one year, 3 were due to congenital malformation, 3 to prematurity, one to enteritis, one to birth injury, one to bronchitis, one to haematemesis and one to atelectasis.

The total number of births registered during the week in the principal towns, was 631—309 boys and 322 girls, of which 168 boys and 202 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 217, of which 108 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 17th August, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	CAUSED BY																	
				Under 1 year of age	65 years and upward	Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomy- elitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	851,612	383	147	11	93	2	1	29	2	6	1	1	105	
DUBLIN COUNTY BOROUGH	522,183	250	90	10	55	1	18	2	5	1	1	62	
DUN LAOGHAIRE BOROUGH	47,920	53	11	.	8	3	.	1	.	.	7	
CORK COUNTY BOROUGH	74,567	13	16	.	11	4	12	
LIMERICK COUNTY BOROUGH	50,820	25	12	.	8	1	1	10	
WATERFORD COUNTY BOROUGH	28,691	6	2	.	1	2	
GALWAY BOROUGH	21,316	5	
DUNDALK URBAN DISTRICT	19,678	9	3	.	2	3	
DROGHEDA URBAN DISTRICT	16,779	9	3	.	2	.	1	2	
SILIGO URBAN DISTRICT	13,529	4	2	.	2	1	1	
BRAY URBAN DISTRICT	12,062	6	2	1	1	
WEXFORD URBAN DISTRICT	11,979	9	
TRALEE URBAN DISTRICT	11,045	4	1	.	1	1	
KILKENNY URBAN DISTRICT	10,572	5	5	1	3	1	4	
CLONMEL URBAN DISTRICT	10,471	5	
BELFAST	443,680	166	78	3	58	1	—	7	2	.	—	—	
DERRY	50,095	17	6	.	3	—	.	.	.	—	—	

Notes: The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 17th August, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY														
	TOTAL DEATHS	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system		Other causes	
		Respiratory system	Other forms									Influenza	Pneumonia		Other
DUBLIN COUNTY BOROUGH															
Under 1 ..	10	1	1	8
1-4	1
5-14 ..	1	1
15-24 ..	4	11
25-44 ..	20	1	3	.	.	.	11
45-64 ..	55	7	.	.	.	41
65 and over ..	90	1	8	.	2	5	62
Total	18
CORK COUNTY BOROUGH															
Under 1
1-4
5-14
15-24 ..	5	3	.	.	.	2
25-44 ..	11	1	.	.	.	10
45-64
65 and over ..	16	4	.	.	.	12
Total
TWELVE OTHER TOWNS															
Under 1 ..	1	1
1-4
5-14	1
15-24 ..	3	.	1	1	.	.	.	8
25-44 ..	10	1	5	.	.	.	21
45-64 ..	27	1	.	.
65 and over ..	41	1	1	7	.	.	1	31
Total





THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from
THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 34. Vol. XCIV WEEK ENDED SATURDAY, 24th AUGUST, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 414—196 boys and 218 girls.

The number of deaths registered, of persons normally residing in the principal towns was 148. Of these, one death was due to tuberculosis, one to diphtheria and 40 to malignant neoplasms.

Among the deaths of infants under one year, 3 were due to congenital malformation, 2 to prematurity, 2 to whooping cough, one to gastro-enteritis, one to birth injury, one to broncho-pneumonia and one to pulmonary haemorrhage.

The total number of births registered during the week in the principal towns, was 662—329 boys and 333 girls, of which 175 boys and 186 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 213, of which 121 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 24th August, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																		
				CAUSED BY																		
				Under 1 year of age	65 years and upward	Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes	
		Respiratory system	Other forms											Influenza	Pneumonia	Other						
TOTAL 14 TOWNS	851,612	414	148	11	88	1	.	.	1	2	40	.	4	5	1	3	91
DUBLIN COUNTY BOROUGH	522,183	255	92	8	56	.	.	.	1	26	.	3	4	1	2	55
DUN LAOGHAIRE BOROUGH	47,920	27	6	.	3	1	5
CORK COUNTY BOROUGH	74,567	38	17	2	10	2	5	1	9
LIMERICK COUNTY BOROUGH	50,820	15	6	.	3	2	.	.	1	.	3	3
WATERFORD COUNTY BOROUGH	28,691	13	4	.	3	1	3
GALWAY BOROUGH	21,316	14	6	1	3	2	4
DUNDALK URBAN DISTRICT	19,678	5	9	.	5	1	2	5
DROGHEDA URBAN DISTRICT	16,779	12	3	.	1	1	3
SLIGO URBAN DISTRICT	13,529	16	1	.	1	4
BRAY URBAN DISTRICT	12,062	3	1	.	1	1	5
WEXFORD URBAN DISTRICT	11,979	6	1	.	1	3
TRALE URBAN DISTRICT	11,045	1	1
KILKENNY URBAN DISTRICT	10,572	4	1
CLONMEL URBAN DISTRICT	10,471	5	2	.	2	2
BELFAST	443,680	141	79	3	40	.	2	.	.	.	—	—	.	—	—	.	7	3	.	—	—	—
DERRY	50,095	21	1	.	1	—	—	.	—	—	—	—

Notes The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

140104



THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 35. Vol. XCIV WEEK ENDED SATURDAY, 31st AUGUST, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 471—236 boys and 235 girls.

The number of deaths registered, of persons normally residing in the principal towns was 133. Of these, five deaths were due to tuberculosis and 30 to malignant neoplasms.

Among the deaths of infants under one year, 4 were due to congenital malformation, 2 to atelectasis, one to prematurity, one to gastro-enteritis, one to birth injury, one to icterus neonatorum and one to meningococcal septicaemia.

The total number of births registered during the week in the principal towns, was 724—368 boys and 356 girls, of which 172 boys and 191 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 216, of which 104 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 31st August, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.


PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																
				CAUSED BY																
				Under 1 year of age	65 years and upward	Tuber- culosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system		Gastro-enteritis (under 2 years)	External causes	Other causes	
				Respiratory system	Other forms									Influenza	Pneumonia	Other				
TOTAL 14 TOWNS	851,612	471	133	11	77	5	3	1	1	1	92
DUBLIN COUNTY BOROUGH	522,183	278	85	9	44	4	1	1	1	1	55
DUN LAOGHAIRE BOROUGH	47,920	23	5	.	3	4
CORK COUNTY BOROUGH	74,567	31	17	.	13	15
LIMERICK COUNTY BOROUGH	50,820	43	6	.	3	1	2
WATERFORD COUNTY BOROUGH	28,691	20	8	.	6	1	.	.	.	7
GALWAY BOROUGH	21,316	10	3
DUNDALK URBAN DISTRICT	19,678	8	3	2	1	1
DRUGHEDA URBAN DISTRICT	16,779	9	1	.	1	2
SLIGO URBAN DISTRICT	13,529	1	2	.	2	1
BRAY URBAN DISTRICT	12,062	1	1	.	1	2
WEXFORD URBAN DISTRICT	11,979	1	2	.	1	1
TRALEE URBAN DISTRICT	11,045	9	2
KILKENNY URBAN DISTRICT	10,572	24	2	.	1	1	.	.	1
CLONMEL URBAN DISTRICT	10,471	13	1	.	1	1
BELFAST	443,680	160	82	4	49	2	9	.	.	—	—
DERRY	50,095	20	8	1	6	1	.	.	—	—

Notes The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 31st August, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

DEATHS CAUSED BY

AGE GROUP	TOTAL DEATHS													Disease of the respiratory system				Gastro-enteritis (under 2 years)	External causes	Other causes			
														Pneumonia		Other							
		Tuberculosis		Scarlet fever		Diphtheria		Whooping cough		Acute poliomyelitis		Acute infectious encephalitis		Measles		Other infective and parasitic diseases					Malignant neoplasms		Influenza
Under 1		9	1	1	1	7	
1-4		1
5-14		7	3
15-24		24	2	14
25-44		44	1	31
45-64		44	1	55
65 and over		85	4	1	1	1	
TOTAL		
DUBLIN COUNTY BOROUGH																							
Under 1	
1-4	
5-14		1
15-24		13	2
25-44		13	11
45-64		17	
65 and over		31	13
TOTAL		
CORK COUNTY BOROUGH																							
Under 1	
1-4	
5-14		1
15-24		13	2
25-44		13	11
45-64		17	
65 and over		31	13
TOTAL		
TWELVE OTHER TOWNS																							
Under 1		2	2
1-4		1	1
5-14		1
15-24		7	1	4
25-44		20	17
45-64		31	
65 and over		31	1	2	.	24
TOTAL		





THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 36. Vol. XCIV WEEK ENDED SATURDAY, 7th September, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 383—206 boys and 177 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 154. Of these, two deaths were due to tuberculosis and 35 to malignant neoplasms.

Among the deaths of infants under one year, 3 were due to congenital malformation, 3 to prematurity, 3 to pneumonia, 3 to injury at birth, one to gastro-enteritis, one to fibrocystic disease of pancreas and one to septicaemia.

The total number of births registered during the week in the principal towns, was 700—379 boys and 321 girls, of which 180 boys and 153 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 229, of which 118 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 7th September, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.


PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	CAUSED BY																	
				Under 1 year of age	65 years and upward	Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	851,612	383	154	15	93	2	2	35	.	4	7	1	3	100
DUBLIN COUNTY BOROUGH	522,183	219	98	13	57	2	2	18	.	3	6	.	2	65
DUN LAOGHAIRE BOROUGH	47,920	20	11	.	7	3	.	1	.	.	7	7
CORK COUNTY BOROUGH	74,567	47	14	.	9	3	.	.	.	1	10	10
LIMERICK COUNTY BOROUGH	50,820	41	9	1	7	2	.	.	1	.	6	6
WATERFORD COUNTY BOROUGH	28,691	9	6	1	3	2	4	4
GALWAY BOROUGH	21,316	10	1	1	1	1
DUNDALK URBAN DISTRICT	19,678	11	3	.	2	1	2	2
DROGHEDA URBAN DISTRICT	16,779	7	4	.	2	2	2	2
SLIGO URBAN DISTRICT	13,529	1	1	.	1	1	1	1
BRAY URBAN DISTRICT	12,062	3	1	1
WEXFORD URBAN DISTRICT	11,979	4	2	.	1	2
TRALEE URBAN DISTRICT	11,045	2	1
KILKENNY URBAN DISTRICT	10,572	7	4	.	4	1	.	.	1	.	2	2
CLONMEL URBAN DISTRICT	10,471	2
BELFAST	443,680	141	69	1	48	1	—	—	.	9	2	.	—	—
DERRY	50,095	21	7	1	2	—	—	—	—

Notes The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 19/9, which were assigned to Duoinn and Cork County boroughs and twelve other towns, classified by Cause and Age Group.

		DEATHS CAUSED BY																
AGE GROUP		Total Deaths		Tuberculosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
				Respiratory system	Other forms								Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																		
Under 1	..	13	1	.	.	3	.	.	.	9
1-4	..	1	1	1
5-14	2
15-24	..	4	2	2
25-44	..	22	6	.	.	2	.	.	14
45-64	..	57	2	10	.	.	4	.	.	39
65 and over	..																	65
Total	..	98	2	2	18	.	3	6	.	2	
CORK COUNTY BOROUGH																		
Under 1
1-4	..	1	1
5-14	1
15-24	2
25-44	..	4	1	2
45-64	..	9	2	7
65 and over	..																	
Total	..	14	3	1	
TWELVE OTHER TOWNS																		
Under 1	..	2	1
1-4
5-14
15-24	..	3	1
25-44	..	10	6	4
45-64	..	27	6	.	.	1	.	.	19
65 and over	..																	
Total	..	42	14	.	1	1	.	.	25





CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 37. Vol. XCIV WEEK ENDED SATURDAY, 14th SEPTEMBER, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 301—156 boys and 145 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 167. Of these, two deaths were due to tuberculosis and 39 to malignant neoplasms. There were 6 accidental deaths registered, 2 of which were due to carbon monoxide poisoning and one to a transport accident. There was one suicide.

Among the deaths of infants under one year, 4 were due to congenital malformation, one to pneumonia, one to injury at birth, one to gastro-enteritis, one to atelectasis and one to volvulus.

The total number of births registered during the week in the principal towns, was 540—276 boys and 264 girls, of which 151 boys and 137 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 275, of which 121 were registered in Dublin County Borough.


TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 14th September, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.


PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																	
				CAUSED BY																	
				Under 1 year of age	65 years and upward	Tuber- culosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system		Gastro-enteritis (under 2 years)	External causes	Other causes		
		Respiratory system	Other forms										Influenza	Pneumonia	Other						
TOTAL 14 TOWNS	851,612	301	167	9	108	2	39	.	4	5	1	7	109
DUBLIN COUNTY BOROUGH	522,183	195	91	3	61	1	24	.	3	5	1	2	55
DUN LAOGHAIRE BOROUGH	47,920	12	14	1	8	4	2	8
COCK COUNTY BOROUGH	74,567	36	22	2	12	5	2	15
LIMERICK COUNTY BOROUGH	50,820	13	10	1	6	2	8
WATERFORD COUNTY BOROUGH	28,691	3	2	1	1	1	1	1
GALWAY BOROUGH	21,316	5	3	.	2	1	2
DUNDALK URBAN DISTRICT	19,678	9	4	.	3	1	3
DROGHEDA URBAN DISTRICT	16,779	2	3	.	3	3
SLIGO URBAN DISTRICT	13,529	8	7	2	4	1	.	.	.	6
FRAY URBAN DISTRICT	12,062	9	4	.	3	1	3
WEXFORD URBAN DISTRICT	11,979	3	4	.	4	4
TRALES URBAN DISTRICT	11,045	2
KILKENNY URBAN DISTRICT	10,572	2	2	.	.	1	1	1
CLONMEL URBAN DISTRICT	10,471	2	1	.	1
BELFAST	443,680	147	71	3	41	—	.	7	4	2	—	—
DERRY	50,095	23	8	.	6	—	—	—

Notes The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 14th September, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

		DEATHS CAUSED BY													AGE GROUP	TOTAL DEATHS	Disease of the respiratory system		Gastro-enteritis (under 2 years)	External causes		Other causes								
		Tuberculosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Other																
		Respiratory system	Other forms	Influenza	Pneumonia	Other																								
																	DUBLIN COUNTY BOROUGH													
Under 1	3	1	..	2								
1-4	1	1								
5-14	1	2								
15-24	4	12								
25-44	21	38								
45-64	61	55								
65 and over	91	1	..	1	2	55								
TOTAL	91	1	..	5	2	55								
																	CORK COUNTY BOROUGH													
Under 1	2	2								
1-4	2	2	..								
5-14	1								
15-24	5								
25-44	7	1								
45-64	12	8								
65 and over	15	2	15								
TOTAL	22	2	15								
																	TWELVE OTHER TOWNS													
Under 1	4	1	..	3								
1-4	3	3	..								
5-14	2								
15-24	10	1								
25-44	35	32								
45-64	54	1	..	1	..	39								
65 and over	54	1	..	1	3	39								
TOTAL	54	1	..	1	3	39								





CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 38. Vol. XCIV WEEK ENDED SATURDAY, 21st SEPTEMBER, 1957 PRICE 2d. Net

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 369—181 boys and 188 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 126. Of these, 5 deaths were due to tuberculosis and 19 to malignant neoplasms.

Among the deaths of infants under one year, 5 were due to congenital malformation, 3 to prematurity, 2 to atelectasis, one to pneumonia, one to injury at birth and one to mongolism.

The total number of births registered during the week in the principal towns, was 594—303 boys and 291 girls, of which 167 boys and 160 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 198, of which 88 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 21st September, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	CAUSED BY																Under 1 year of age	65 years and upward	Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
				Respiratory system	Other forms	Influenza	Pneumonia	Other																													
TOTAL 14 TOWNS	851,612	369	126	13	77	4	1	19	.	2	4	.	.	.	96									
DUBLIN COUNTY BOROUGH	522,183	238	70	9	42	1	1	12	1	1	.	.	.	54										
DUN LAOGHAIRE BOROUGH	47,920	17	9	.	6	1	8										
CORK COUNTY BOROUGH	74,567	36	17	.	12	4	.	.	3	.	.	10										
LIMERICK COUNTY BOROUGH	50,820	11	11	1	4	2	1	8										
WATERFORD COUNTY BOROUGH	28,691	14	6	1	4	6										
GALWAY BOROUGH	21,316	6	3	.	3	1	1	2										
DUNDALK URBAN DISTRICT	19,678	9	3	.	2	2										
DROGHEDA URBAN DISTRICT	16,779	7	1	1	1	1										
SLIGO URBAN DISTRICT	13,529	9	3	2	1	.	.	.	2										
BRAY URBAN DISTRICT	12,062	4	2	.	2	2										
WEXFORD URBAN DISTRICT	11,979	5										
TRALEE URBAN DISTRICT	11,045	3										
KILKENNY URBAN DISTRICT	10,572	4	1	.	1	1										
CLONMEL URBAN DISTRICT	10,471	6										
BELFAST	443,680	153	85	6	51	11	2	.	.	.										
DERRY	50,095	27	3	1	.	.	.										

Notes The populations given are those ascertained at the Census of 8th April, 1951.

A dash (—) indicates that the information is not supplied.



THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from
THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 39. Vol. XCIV WEEK ENDED SATURDAY, 28th SEPTEMBER, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 398—229 boys and 169 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 173. Of these, 6 deaths were due to tuberculosis and 27 to malignant neoplasms. There were 4 accidental deaths, one of which was due to carbon monoxide poisoning and one to drowning.

Among the deaths of infants under one year, 5 were due to prematurity, 3 to congenital malformation, 3 to injury at birth, one to atelectasis and one to mongolism.

The total number of births registered during the week in the principal towns, was 647—46 boys and 301 girls, of which 200 boys and 164 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 253, of which 135 were registered in Dublin County Borough.


TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 28th September, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS		POPULATION 1951	BIRTHS	DEATHS	DEATHS																																								
					CAUSED BY																																								
					Under 1 year of age	65 years and upward	Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes																							
								Respiratory system	Other forms									Influenza	Pneumonia	Other																									
TOTAL 14 TOWNS	..	851,612	398	173	13	103	6	2	27	.	7	8	4	119	.	.								
DUBLIN COUNTY BOROUGH	..	522,183	268	108	11	59	4	2	17	.	5	4	2	74	.	.								
DUN LAOGHAIRE BOROUGH	..	47,920	6	16	.	15	3	1	11	.	.							
CORK COUNTY BOROUGH	..	74,567	21	9	9	5	2	.	.	1	5	5	.	.						
LIMERICK COUNTY BOROUGH	..	50,820	23	8	.	5	2	7	7	.	.						
WATERFORD COUNTY BOROUGH	..	28,691	22	9	1	7	2	5	5	.	.					
GALWAY BOROUGH	..	21,316	9	3	3	.	.					
DUNDALK URBAN DISTRICT	..	19,678	6	3	.	3	1	1	.	.					
DROGHEDA URBAN DISTRICT	..	16,779	9	3	.	1	1	.	.	1	1	1	.	.				
SLIGO URBAN DISTRICT	..	13,529	12	1	.	1	1	1	.	.			
BRAU URBAN DISTRICT	..	12,062	2			
WEXFORD URBAN DISTRICT	..	11,979	6	3	.	2	3	3	.	.		
TRALE URBAN DISTRICT	..	11,045	7	7	.	3	4	4	.	.		
KILKENNY URBAN DISTRICT	..	10,572	4	3	3	3	.	.	
CLONMEL URBAN DISTRICT	..	10,471	1	3	1	2	3	3	.	.	
BELFAST	..	443,680	147	73	4	36	1	10	1	.	.	
DERRY	..	50,095	19	10	2	4

Notes The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 28th September, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP		DEATHS CAUSED BY															Total Deaths
		Tuberculosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes	
											Respiratory system	Other forms	Influenza				
DUBLIN COUNTY BOROUGH																	
Under 1	..	11	1	..	11
1-4	..	1	1	..	3
5-14	..	4	1	..	16
15-24	..	3	10	7	..	1	1	44
25-44	..	30	2	1	4	3	74
45-64	..	59	2	1
65 and over
TOTAL	..	108	4	2	17	..	5	4	..	2	..
CORK COUNTY BOROUGH																	
Under 1
1-4	..	1	1
5-14
15-24
25-44	..	3	1	1	1	2
45-64	..	5	3
65 and over
TOTAL	..	9	2	1	..	1	5
TWELVE OTHER TOWNS																	
Under 1	..	2	2
1-4	..	1	1
5-14
15-24	..	2	1	1	1
25-44	..	12	1	3	5	..	1	1	7
45-64	..	39	3	30
65 and over
TOTAL	..	56	2	8	2	3	..	1	40



CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 40.	Vol. XCIV	WEEK ENDED SATURDAY, 5th OCTOBER, 1957	PRICE 2d. NET
---------	-----------	--	---------------

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 404—195 boys and 209 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 145. Of these, 3 deaths were due to tuberculosis and 26 to malignant neoplasms.

Among the deaths of infants under one year, 6 were due to broncho-pneumonia, 5 to congenital malformation, 3 to prematurity, 2 to injury at birth, 2 to haemolytic disease, one to measles and one to gastro-enteritis.

The total number of births registered during the week in the principal towns, was 650—321 boys and 329 girls, of which 188 boys and 172 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 213, of which 129 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 5th October, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	CAUSED BY																	
				Under 1 year of age	65 years and upward	Respiratory system		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Tuber- culosis	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	851,612	404	145	20	71	3	1	1	26	1	8	6	1	1	69
DUBLIN COUNTY BOROUGH	522,183	267	107	16	55	2	1	1	20	.	8	5	.	1	6
DUN LACCHAIRE BOROUGH	47,920	16	7	2	2	1	.	.	.
CORK COUNTY BOROUGH	74,567	36	12	.	7	1	1	1	9
LIMERICK COUNTY BOROUGH	50,820	15	7	1	4	1	.	.	.	1	.	5
WATERFORD COUNTY BOROUGH	28,691	14	6	.	3	3	3
GALWAY BOROUGH	21,316	4	1	1	1
DUNDALK URBAN DISTRICT	19,678	13	2	2
DROGHEDA URBAN DISTRICT	16,779	5	1	1
SLIGO URBAN DISTRICT	13,529	2
BRAY URBAN DISTRICT	12,062	1	1
WEXFORD URBAN DISTRICT	11,979	4
TRALEE URBAN DISTRICT	11,045	4
KILKENNY URBAN DISTRICT	10,572	9	1	1
CLONMEL URBAN DISTRICT	10,471	15
BELFAST	443,680	147	73	4	36	1	—	.	10	1	.	—	—
DERRY	50,095	19	10	2	4	—	.	1	.	.	—	—

Notes The populations given are those ascertained at the Census of 8th April, 1951.

A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 20n October, 1921, which were referred to Dublin and twelve other towns, classified by Cause and Age Group.

DEATHS CAUSED BY

AGE GROUP

AGE GROUP	TOTAL DEATHS	DUBLIN COUNTY BOROUGH										Disease of the respiratory system				External causes	Other causes
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)		
Under 1	16								1				6				9
1-4	1																1
5-14	7																4
15-24	28																14
25-44	55												2	3	9		41
45-64																	
65 and over																	
Total	107	2							1	1	20		8	5		1	69


AGE GROUP	TOTAL DEATHS	CORK COUNTY BOROUGH										Disease of the respiratory system				External causes	Other causes
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)		
Under 1																	
1-4																	
5-14																	
15-24																	
25-44	5																3
45-64	7																6
65 and over													1				
Total	12	1									1						9

AGE GROUP	TOTAL DEATHS	TWELVE OTHER TOWNS										Disease of the respiratory system				External causes	Other causes
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)		
Under 1	4																3
1-4	1																1
5-14																	
15-24																	
25-44	12																6
45-64	9																6
65 and over																	
Total	26										5			1	1		19

14 OCT 1957

MSD

FILE



CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 41. Vol. XCIV WEEK ENDED SATURDAY, 12th OCTOBER, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 437—238 boys and 199 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 169. Of these, 3 deaths were due to tuberculosis, 2 to influenza and 33 to malignant neoplasms. There was one accidental death which was due to burns.

Among the deaths of infants under one year, 5 were due to prematurity, 3 to congenital malformation, 2 to atelectasis, 2 to injury at birth, one to asphyxia, one to meningitis and one to congenital debility.

The total number of births registered during the week in the principal towns, was 733—392 boys and 341 girls, of which 169 boys and 155 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 264, of which 148 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 12th October, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																
				CAUSED BY																
				Under 1 year of age	65 years and upward	Tuber- culosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Miscellaneous	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system		Gastro-enteritis (under 2 years)	External causes	Other causes	
				Respiratory system	Other forms									Influenza	Pneumonia	Other				
TOTAL 14 TOWNS	851,612	437	169	16	100	3	2	6	6	.	1	118
DUBLIN COUNTY BOROUGH	522,183	229	115	11	70	2	1	3	.	.	87
DUN LAOGHAIRE BOROUGH	47,920	22	11	1	6	4	.	.	.	7
CORK COUNTY BOROUGH	74,567	91	20	1	13	1	1	.	1	13
LIMERICK COUNTY BOROUGH	50,820	53	1	.	1	1
WATERFORD COUNTY BOROUGH	28,691	2	2	2	2	1
GALWAY BOROUGH	21,316	5	6	1	3	1
DUNDALK URBAN DISTRICT	19,678	7	6	1	1	2
DROGHEDA URBAN DISTRICT	16,779	3	2	1	3
SILIGO URBAN DISTRICT	13,529	1	1
BRAY URBAN DISTRICT	12,062	2	2	.	1	1	.	.	1
WEXFORD URBAN DISTRICT	11,979	7
TRALEE URBAN DISTRICT	11,045	8
KILKENNY URBAN DISTRICT	10,572	6	2	.	1	1	.	.	.	1
CLONMEL URBAN DISTRICT	10,471	1	2	.	2	1	.	.	1
BELFAST	443,680	170	141	6	81	3	19	31	4	1	—	—
DERRY	50,095	18	3	.	3	—	—	.	.	—	—

Notes. The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 12th October, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.


AGE GROUP		DEATHS CAUSED BY																
		Total Deaths	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
			Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																		
Under 1	..	11	11
1-4	1
5-14	..	1	1
15-24	..	2	21
25-44	..	31	1	54
45-64	..	70	1	87
65 and over
Total	..	115	2	87
CORK COUNTY BOROUGH																		
Under 1	..	1	1
1-4
5-14
15-24
25-44	..	6	1	3
45-64	..	13	9
65 and over	3
Total	..	20	1	13
TWELVE OTHER TOWNS																		
Under 1	..	4	4
1-4	..	3	1
5-14	..	1	1
15-24	..	1	1
25-44	..	17	2
45-64	11
65 and over
Total	..	34	18

RECEIVED

18 OCT 1957

AMID.

FILE



CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS
WEEKLY RETURNS OF BIRTHS AND DEATHS
FOR THE
PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from
THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 42. Vol. XCIV WEEK ENDED SATURDAY, 19th OCTOBER, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 417—216 boys and 201 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 154. Of these, 2 deaths were due to tuberculosis, 6 to influenza and 29 to malignant neoplasms. There were 4 accidental deaths, 2 of which were due to transport accidents and one to drowning. There was one suicide.

Among the deaths of infants under one year, 2 were due to congenital malformation, 2 to pneumonia, one to injury at birth, one to lung abscess and one to gastro-enteritis.

The total number of births registered during the week in the principal towns, was 645—336 boys and 309 girls, of which 200 boys and 170 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 220, of which 108 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 19th October, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.


PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	CAUSED BY																				
				Under 1 year of age		65 years and upward										Diseases of the respiratory system				Other causes				
				Respiratory system	Other forms	Tuber- culosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)	External causes					
TOTAL 14 TOWNS	851,612	417	154	8	100	2	29	6	6	10	1	5	95
DUBLIN COUNTY BOROUGH	522,183	266	82	6	59	13	2	5	5	1	3	53
DUN LAGHAIRIE BOROUGH	47,920	25	11	.	6	1	.	.	2	.	.	8
CORK COUNTY BOROUGH	74,567	23	11	.	6	2	9
LIMERICK COUNTY BOROUGH	50,920	32	16	.	10	2	3	1	.	1	.	.	9
WATERFORD COUNTY BOROUGH	28,691	14	6	.	2	1	.	.	1	.	.	4
GALWAY BOROUGH	21,316	23	9	1	4	3	.	1	1	.	1	3
DUNDALK URBAN DISTRICT	19,678	2	5	.	2	2	3
DROGHEDA URBAN DISTRICT	16,779	5	4	.	4	2	2
SLIGO URBAN DISTRICT	13,529	8	2	.	2	1	1
BRAY URBAN DISTRICT	12,062	5	2	1	1	1	1
WEXFORD URBAN DISTRICT	11,979	6	1	2
TRALEE URBAN DISTRICT	11,045	5	3	.	2	1
KILKENNY URBAN DISTRICT	10,572	1
CLONMEL URBAN DISTRICT	10,471	2	2	.	2	1	1
BELFAST	443,680	138	139	5	78	1	1	—	.	31	7	.	—	—
DERRY	50,095	17	10	.	5	1	—	.	1	2	.	—	—

Notes The populations given are those ascertained at the Census of 8th April, 1951.

A dash (—) indicates that the information not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 19th October, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY													TOTAL DEATHS		
	Tuberculosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)		External causes	Other causes
										Respiratory system	Other forms	Influenza				
DUBLIN COUNTY BOROUGH																
Under 1	6											1	1		3	
1-4																
5-14	2														3	
15-24	4														4	
25-44	11														4	
45-64	59														43	
65 and over																
TOTAL	82								13	2	5	5	1	3	53	
CORK COUNTY BOROUGH																
Under 1																
1-4																
5-14																
15-24	2														2	
25-44	3														3	
45-64	6								2						4	
65 and over																
TOTAL	11								2						9	
TWELVE OTHER TOWNS																
Under 1	2											1		1	1	
1-4	2															
5-14																
15-24	4														2	
25-44	18								2						10	
45-64	35								3						20	
65 and over									9							
TOTAL	61	2							14			1	5	2	33	



CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 43. Vol. XCIV WEEK ENDED SATURDAY, 26th OCTOBER, 1957 PRICE 2d. Net

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 317—155 boys and 162 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 190. Of these, 8 deaths were due to tuberculosis, 13 to influenza and 27 to malignant neoplasms. There were 5 accidental deaths, 2 of which were due to transport accidents and one to carbon monoxide poisoning.

Among the deaths of infants under one year, 2 were due to congenital malformation, one to influenza, one to convulsions and one to meningococcal septicæmia.

The total number of births registered during the week in the principal towns, was 568—290 boys and 278 girls, of which 170 boys and 152 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 257, of which 129 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 26th October, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																
				Caused By																
				Under 1 year of age	65 years and upward	Tuber- culosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
				Respiratory system	Other forms									Influenza	Pneumonia	Other				
TOTAL 14 TOWNS	851,612	317	190	5	117	8	13	8	8	.	5	120
DUBLIN COUNTY BOROUGH	522,183	206	115	3	71	6	8	6	2	.	4	72
DUN LAOGHAIRE BOROUGH	47,920	11	12	.	9	11
CORK COUNTY BOROUGH	74,567	28	23	1	16	1	1	1	.	3	.	1	11
LIMERICK COUNTY BOROUGH	50,820	15	6	.	2	2	1	1	.	.	2
WATERFORD COUNTY BOROUGH	28,691	22	2	.	1	2
GALWAY BOROUGH	21,316	6	3	.	2	3
DUNDALK URBAN DISTRICT	19,678	5	4	.	1	1	3
DROGHEDA URBAN DISTRICT	16,779	6	1	1	1
SLIGO URBAN DISTRICT	13,529	3	7	.	3	1	1	.	.	.	4
BRAY URBAN DISTRICT	12,062	1	6	.	3	2	.	.	3
WEXFORD URBAN DISTRICT	11,979	2	3	.	2	1	1
TRALEE URBAN DISTRICT	11,045	.	2	.	1	2
KILKENNY URBAN DISTRICT	10,572	3	1	.	1	1
CLONMEL URBAN DISTRICT	10,471	9	5	.	5	4
BELFAST	443,680	141	101	2	62	1	10	30	3	.	—	—
DERRY	50,095	17	8	.	6	3	.	1	.	—	—

Notes The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 20th October, 1956, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP		DEATHS CAUSED BY															Total Deaths	
		Tuberculosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes		
		Respiratory system	Other forms									Influenza	Pneumonia	Other				
Under 1	..	3										1					2	
1-4	..	2	1														1	
5-14	..	1																
15-24	..	8										1					4	
25-44	..	3										3					11	
45-64	..	27	2									3	3	1			53	
65 and over	..	71	1									3	3	1				
Total	..	115	6								17	8	6	2		4	72	
		CORK COUNTY BOROUGH																
		Tuberculosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes		
		Respiratory system	Other forms								Influenza	Pneumonia	Other					
Under 1	..	1																
1-4	..	1							1									
5-14	..	1																
15-24	..	1																
25-44	..	4																
45-64	..	16	1															
65 and over	..	23	1						1	5	1							
Total	..	47	2						5	10	2		5		2	24		
		TWELVE OTHER TOWNS																
		Tuberculosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes		
		Respiratory system	Other forms								Influenza	Pneumonia	Other					
Under 1	..	1																
1-4	..	1																
5-14	..	1																
15-24	..	3																
25-44	..	17	1															
45-64	..	30																
65 and over	..	52	1															
Total	..	105	2															





CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 44. Vol. XCIV WEEK ENDED SATURDAY, 2nd NOVEMBER, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 321—167 boys and 154 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 180. Of these, 3 deaths were due to tuberculosis, 17 to influenza and 24 to malignant neoplasms. There were 3 accidental deaths.

Among the deaths of infants under one year, 3 were due to prematurity, 2 to congenital malformation, one to pneumonia, one to thrombocytopenia, one to status lymphaticus, one to cerebral palsy, one to influenzal pneumonia and one to convulsions.

The total number of births registered during the week in the principal towns, was 573—294 boys and 279 girls, of which 144 boys and 137 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 255, of which 145 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 2nd November, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	CAUSED BY																	
				DEATHS																	
				Under 1 year of age	65 years and upward	Respiratory system		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Tuber-culosis	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	851,612	321	180	11	114	2	1	24	17	12	20	.	3	101
DUBLIN COUNTY BOROUGH	522,183	199	117	5	72	1	1	17	10	9	13	.	1	65
DUN LAOGHAIRE BOROUGH	47,920	17	10	1	6	1	1	8
CORK COUNTY BOROUGH	74,567	30	16	.	9	3	2	2	3	.	.	6
LIMERICK COUNTY BOROUGH	50,820	13	5	1	4	1	.	.	1	.	.	4
WATERFORD COUNTY BOROUGH	28,691	6	1	.	1	1	.
GALWAY BOROUGH	21,316	4	1	.	1	1	.	.
DUNDALK URBAN DISTRICT	19,678	9	7	2	2	1	1	5
DROGHEDA URBAN DISTRICT	16,779	8	6	1	5	2	4
SLIGO URBAN DISTRICT	13,529	13	3	.	2	1	.	.	2
BRAY URBAN DISTRICT	12,062	5	4	.	3	1	.	1	1	.	.	1
WEXFORD URBAN DISTRICT	11,979	3	2	.	2	1	1
TRALE URBAN DISTRICT	11,045	3	4	1	3	1	3
KILKENNY URBAN DISTRICT	10,572	6
CLONMEL URBAN DISTRICT	10,471	5	4	.	4	1	.	.	1	.	.	2
BELFAST	443,680	150	99	5	60	.	1	6	16	9	.	.	.
DERRY	50,095	7	5	1	2	1	.	.

Notes The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.



CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 45. Vol. XCIV WEEK ENDED SATURDAY, 9th NOVEMBER, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 430—213 boys and 217 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 179. Of these, 4 deaths were due to tuberculosis, 10 to influenza and 25 to malignant neoplasms. There were 6 accidental deaths, 4 of which were due to transport accidents and one to drowning.

Among the deaths of infants under one year, 3 were due to congenital malformation, one to pneumonia, one to gastro-enteritis and one to atelectasis.

The total number of births registered during the week in the principal towns, was 652—330 boys and 322 girls, of which 179 boys and 180 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 271, of which 138 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 9th November, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																	
				CAUSED BY																	
				Under 1 year of age	65 years and upward	Tuber- culosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes	
				Respiratory system	Other forms										Influenza	Pneumonia	Other				
TOTAL 14 TOWNS	851,612	430	179	6	109	4	1	25	10	18	16	1	6	98
DUBLIN COUNTY BOROUGH	522,183	261	112	5	69	3	1	14	6	12	8	1	2	65
DUN LAOGHAIRE BOROUGH	47,920	23	14	.	8	2	.	3	.	.	1	8
CORK COUNTY BOROUGH	74,567	42	17	.	8	2	3	2	2	.	2	7
LIMERICK COUNTY BOROUGH	50,820	35	12	.	11	1	.	.	3	.	1	6
WATERFORD COUNTY BOROUGH	28,691	4	2	2
GALWAY BOROUGH	21,316	9	4	.	1	3	.	.	1	.	.	2
DUNDALK URBAN DISTRICT	19,678	11	3	.	3	1	2
DROGHEDA URBAN DISTRICT	16,779	8	1	.	1	1
SLIGO URBAN DISTRICT	13,529	16	5	.	3	1	.	.	1	.	.	3
BRAY URBAN DISTRICT	12,062	3	1	1
WEXFORD URBAN DISTRICT	11,979	5	3	.	3	1	2
TRALEE URBAN DISTRICT	11,045	6	1	1
KILKENNY URBAN DISTRICT	10,572	1	4	.	2	1	1	1	.	.	1
CLONMEL URBAN DISTRICT	10,471	6
BELFAST	443,680	144	94	6	59	1	2	5	8	12	.	.	.
DERRY	50,095	14	7	.	3	1	.	.	.

Notes The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 9th November, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY															
	TOTAL DEATHS	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Other causes	
		Respiratory system	Other forms									Influenza	Pneumonia	Other		
DUBLIN COUNTY BOROUGH																
Under 1	..	5	1	..	1	..	3
1-4	..	1	1	1
5-14	..	1	5
15-24	..	1	12
25-44	..	6	1	6	6	..	3	1	44
45-64	..	29	1	8	6	..	5	1	65
65 and over	..	69	1
Total	..	112	3	1	14	6	12	8	2	65
CORK COUNTY BOROUGH																
Under 1
1-4	1	..
5-14	..	2	1
15-24	1
25-44	..	1	2	1	1	3
45-64	..	6	1	1	2	1	3
65 and over	..	8
Total	..	17	2	3	2	2	2	6
TWELVE OTHER TOWNS																
Under 1	..	1	1	1
1-4	..	1	1	..
5-14	..	1
15-24	..	1	1	2	..	1	2
25-44	..	5	3	2	..	2
45-64	..	10	1	6	..	2	4	..	22
65 and over	..	32
Total	..	50	1	9	1	4	6	2	27



THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 46. Vol. XCIV WEEK ENDED SATURDAY, 16th NOVEMBER, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 296—145 boys and 151 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 215. Of these, 8 deaths were due to tuberculosis, 14 to influenza and 26 to malignant neoplasms. There were 4 accidental deaths, 2 of which were due to transport accidents and one to carbon monoxide poisoning.

Among the deaths of infants under one year, 3 were due to congenital malformation, 3 to pneumonia, 3 to atelectasis, 2 to prematurity, one to mongolism, one to intra-peritoneal haemorrhage, one to intra-peritoneal abscess, one to septic meningitis, one to meningococcal septicaemia and one to bronchitis.

The total number of births registered during the week in the principal towns, was 533—269 boys and 264 girls, of which 141 boys and 121 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 308, of which 161 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 16th November, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																	
				CAUSED BY																	
				Under 1 year of age	65 years and upward	Tuber- culosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Meningitis	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes	
		Respiratory system	Other forms										Influenza	Pneumonia	Other						
TOTAL 14 TOWNS	851,612	296	215	17	140	8	3	26	14	14	11	.	4	135
DUBLIN COUNTY BOROUGH	522,183	160	133	13	86	5	2	16	8	10	6	.	3	83
DUN LAOGHAIRE BOROUGH	47,920	24	15	.	12	3	1	1	.	.	.	10
CORK COUNTY BOROUGH	74,567	31	36	1	25	3	1	4	3	.	2	.	1	22
LIMERICK COUNTY BOROUGH	50,820	14	10	1	4	1	.	1	.	.	.	8
WATERFORD COUNTY BOROUGH	28,691	6	2	.	1	2	.	.	.
GALWAY BOROUGH	21,316	17	1	1	1
DUNDALK URBAN DISTRICT	19,678	9	3	.	1	1	2
DROGHEDA URBAN DISTRICT	16,779	7	2	1	1	1	.	1	.	.	.
SLIGO URBAN DISTRICT	13,529	2	1	.	1	1
BRAY URBAN DISTRICT	12,062	6	2	.	1	2
WEXFORD URBAN DISTRICT	11,979	5	2	.	2	2
TRALEE URBAN DISTRICT	11,045	2	3	.	2	2
KILKENNY URBAN DISTRICT	10,572	3	3
CLONMEL URBAN DISTRICT	10,471	10	5	.	4	1	.	1	.	.	.	3
BELFAST	443,680	137	100	5	64	1	1	15	7	.	.	.
DERRY	50,095	12	12	.	8	1	.	2	.	.	.

Notes The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information was not supplied.

AGE GROUP		DEATHS CAUSED BY													Total Deaths		
		Tuberculosis	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)			External causes
											Respiratory system	Other forms	Influenza		Pneumonia	Other	
DUBLIN COUNTY BOROUGH																	
Under 1	..	13	2	.	.	11	.
1-4	..	2	1	.	.	1	.
5-14	..	1	2	.
15-24	..	6	2	1	1	1	1	.	.	15	.
25-44	..	25	3	1	4	1	1	1	2	.	54	.
45-64	..	86	3	1	11	6	6	4	.	.	83	.
65 and over	..	133	5	2	16	8	10	6	.	.	3	.
Total	..																
CORK COUNTY BOROUGH																	
Under 1	..	1	1	1
1-4	..	2	1	.
5-14	..	3	1	1	1
15-24	..	3	1	1	1
25-44	..	5	1	2	3	2
45-64	..	25	1	4	3	19
65 and over	..																
Total	..	36	3	1	4	3	.	.	2	.	1	22
TWELVE OTHER TOWNS																	
Under 1	..	3	1	1	.	.	1
1-4
5-14
15-24	..	2	1	1	1	1	1	.	.	8
25-44	..	12	2	3	3	1	1	.	.	21
45-64	..	29	3	6	4	3	.	.	.	30
65 and over	..																
Total	..	46	6	3	4	3



CUNNTAS SEACHTAINIUÍL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 47. Vol. XCIV WEEK ENDED SATURDAY, 23rd NOVEMBER, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 367—197 boys and 170 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 251. Of these, 4 deaths were due to tuberculosis, 16 to influenza and 29 to malignant neoplasms. There were 3 accidental deaths, one of which was due to a transport accident.

Among the deaths of infants under one year, 5 were due to congenital malformation, 4 to prematurity, 3 to empyema, 2 to pneumonia, 2 to injury at birth, one to meningococcal meningitis, and one to adrenal haemorrhage.

The total number of births registered during the week in the principal towns, was 623—339 boys and 284 girls, of which 183 boys and 146 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 356, of which 183 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 23rd November, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.


PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	CAUSED BY														Under 1 year of age	65 years and upward	Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system		Gastro-enteritis (under 2 years)	External causes	Other causes
				Respiratory system	Other forms	Influenza	Pneumonia	Other																										
TOTAL 14 TOWNS	851,612	367	251	18	155	3	1	3	29	16	19	20	.	3	157												
DUBLIN COUNTY BOROUGH	522,183	226	151	9	94	1	3	21	11	12	14	.	2	87												
DUN LAOGHAIRE BOROUGH	47,920	21	8	.	5	1	1	.	.	6												
CORK COUNTY BOROUGH	74,567	26	27	1	18	1	1	1	2	.	5	.	1	17												
LIMERICK COUNTY BOROUGH	50,820	19	10	1	5	.	1	3	3	3	4	.	.	.	6												
WATERFORD COUNTY BOROUGH	28,691	21	23	2	15	1	1	1	12												
GALWAY BOROUGH	21,316	2	5	.	4	4												
DUNDALK URBAN DISTRICT	19,678	11	3	1	2	3												
DROGHEDA URBAN DISTRICT	16,779	6	5	.	5	5												
SLIGO URBAN DISTRICT	13,529	10	5	1	3	5												
BRAY URBAN DISTRICT	12,062	7	1	.	1	1												
WEXFORD URBAN DISTRICT	11,979	.	4	1	1	1	.	.	.	3												
TRALEE URBAN DISTRICT	11,045	4	3	2	3												
KILKENNY URBAN DISTRICT	10,572	10	3	3												
CLONMEL URBAN DISTRICT	10,471	4	3	.	2	1	.	.	.	2												
BELFAST	443,680	152	104	7	61	2	1	2	.	12	9												
DERRY	50,095	13	4	.	3	1	1												

Notes The populations given are those ascertained at the Census of 8th April, 1951.

A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ending October 1, 1920, by cause and age group, and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY														
	Total Deaths	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other	
DUBLIN COUNTY BOROUGH															
Under 1 ..	9	1	.	2	1	3	4
1-4 ..	4	1	.	1	1	.	.
5-14 ..	1	1	1
15-24 ..	2	1	.	.	20
25-44 ..	3	1	.	3	2	4	62
45-64 ..	38	1	5	8	7	.
65 and over ..	94	9	.	11	12	14	87
Total ..	151	1	3	21	22	24	28	287
CORK COUNTY BOROUGH															
Under 1 ..	1	1
1-4
5-14
15-24 ..	2	2	.	.	2
25-44 ..	6	1	1	2	.	2	12
45-64 ..	18	1	2	.	3	12
65 and over	1	2	.	5	17
Total ..	27	1	1	2	.	5	27
TWELVE OTHER TOWNS															
Under 1 ..	8	1	.	7
1-4
5-14 ..	1	1
15-24 ..	3	1	.	2
25-44 ..	18	1	1	6	2	5	1	28
45-64 ..	43	3	7	1	15
65 and over	7	3	7	1	25
Total ..	73	1	1	7	3	7	1	53



CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 48. Vol. XCIV WEEK ENDED SATURDAY, 30th NOVEMBER, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 387—188 boys and 199 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 185. Of these, 5 deaths were due to tuberculosis, 13 to influenza and 19 to malignant neoplasms.

Among the deaths of infants under one year, 3 were due to prematurity, 2 to gastro-enteritis, 2 to septicæmia, 2 to congenital malformation, one to influenza, one to pneumonia, one to hæmolytic disease, one to atelectasis and one to convulsions.

The total number of births registered during the week in the principal towns, was 586—293 boys and 293 girls, of which 173 boys and 157 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 303, of which 136 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 30th November, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	CAUSED BY															Under 1 year of age	65 years and upward	Diseases of the respiratory system				Malignant neoplasms	Other infective and parasitic diseases	Other causes
				Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infectious diseases	Diseases of the respiratory system														
				Other forms	Respiratory system								Influenza	Pneumonia	Other	(under 2 years)	External causes										
TOTAL 14 TOWNS	851,612	387	185	14	123	5	1	1	19	13	9	14	2	1	120			
DUBLIN COUNTY BOROUGH	522,183	240	107	10	68	3	1	1	12	7	5	9	1	.	68			
DUN LAGHAIRE BOROUGH	47,920	24	11	.	8	3	2	6			
CORK COUNTY BOROUGH	74,567	33	21	2	15	1	1	.	.	.	19			
LIMERICK COUNTY BOROUGH	50,820	23	14	.	9	1	.	1	2	.	1	9			
WATERFORD COUNTY BOROUGH	28,691	11	10	.	6	1	2	1	1	.	.	5			
GALWAY BOROUGH	21,316	7	2	1	1	.	.	.	1	.	1			
DUNDALK URBAN DISTRICT	19,678	11	7	.	6	1	6			
DROGHEDA URBAN DISTRICT	16,779	8	2	.	2	1	1			
SLIGO URBAN DISTRICT	13,520	2	3	.	2	1	2			
BRAY URBAN DISTRICT	12,062	9	1	1	1			
WEXFORD URBAN DISTRICT	11,979	9	2	.	2	1	.	.	1			
TRALEE URBAN DISTRICT	11,045	2	2	.	2	1	1			
KILKENNY URBAN DISTRICT	10,572	8	1	.	1	1			
CLONMEL URBAN DISTRICT	10,471	.	2	.	2	1	1	.	.	.			
BELFAST	443,680	138	97	3	66	2	1	12	7	.	.	.			
DERRY	50,095	15	5	1	4			

Notes The populations given are those ascertained at the Census of 8th April, 1951.



CÚNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 49. Vol. XCIV WEEK ENDED SATURDAY, 7th DECEMBER, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 328—174 boys and 154 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 186. Of these, 5 deaths were due to tuberculosis, 14 to influenza and 27 to malignant neoplasms. There were 4 accidental deaths, 2 of which were due to transport accidents.

Among the deaths of infants under one year, 2 were due to prematurity, 2 to atelectasis, one to gastro-enteritis, one to congenital malformation, one to pneumonia, one to moniliasis, one to meningitis, and one to cerebral anoxia.

The total number of births registered during the week in the principal towns, was 541—290 boys and 251 girls, of which 154 boys and 123 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 285, of which 134 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 7th December, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	CAUSED BY																					
				Under 1 year of age		65 years and upward		Respiratory system		Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
																					Influenza	Pneumonia	Other		
TOTAL 14 TOWNS	851,612	328	186	11	104	5	1	27	14	11	8	1	4	115	
DUBLIN COUNTY BOROUGH	522,183	201	114	7	58	2	21	8	10	5	1	2	65	
DUN LAGHAIRE BOROUGH	47,920	14	12	2	7	1	1	2	1	1	.	1	6	
CORK COUNTY BOROUGH	74,567	27	12	1	6	3	1	8	
LIMERICK COUNTY BOROUGH	50,820	38	11	1	7	2	9	
WATERFORD COUNTY BOROUGH	28,691	17	8	.	7	1	.	.	7	
GALWAY BOROUGH	21,316	10	7	.	6	1	6		
DUNDALK URBAN DISTRICT	19,678	4	6	.	2	1	2	3	
DROGHEDA URBAN DISTRICT	16,779	2	3	.	2	1	1	
SLIGO URBAN DISTRICT	13,529	2	3	.	3	3	
BRAY URBAN DISTRICT	12,062	1	1	.	1	1	2	
WEXFORD URBAN DISTRICT	11,979	2	2	.	2	2	
TRALEE URBAN DISTRICT	11,045	4	3	.	1	1	2	
KILKENNY URBAN DISTRICT	10,572	2	3	
CLONMEL URBAN DISTRICT	10,471	4	4	.	2	1	
BELFAST	443,680	152	107	5	76	15	11	.	.	.	
DERRY	50,095	17	9	.	8	

Notes The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 7th December, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP		DEATHS CAUSED BY														TOTAL DEATHS		
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)			External causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other				
DUBLIN COUNTY BOROUGH																		
Under 1	1	..	5
1-4	2	..	3
5-14	1	2
15-24
25-44	1
45-64	1
65 and over	1
Total	2	1	2	65
CORK COUNTY BOROUGH																		
Under 1	1
1-4
5-14
15-24
25-44
45-64
65 and over
Total	1	8
TWELVE OTHER TOWNS																		
Under 1	2
1-4
5-14
15-24
25-44
45-64
65 and over
Total	3	1	42

RECEIVED

14 DEC 1957

ANSI

FILE



THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 50. Vol. XCIV WEEK ENDED SATURDAY, 14th DECEMBER, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 291—161 boys and 130 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 172. Of these, 7 deaths were due to tuberculosis, 6 to influenza and 29 to malignant neoplasms. There were 5 accidental deaths, 2 of which were due to transport accidents.

Among the deaths of infants under one year, 5 were due to pneumonia, 2 to congenital malformation, one to gastro-enteritis, one to fibrocystic disease of pancreas and one to renal thrombosis.


The total number of births registered during the week in the principal towns, was 510—273 boys and 237 girls, of which 157 boys and 129 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 248, of which 148 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 14th December, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS		POPULATION 1951	BIRTHS	DEATHS	CAUSED BY															Under 1 year of age	65 years and upward																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
					Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes			Other causes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
					Respiratory system	Other forms									Influenza	Pneumonia	Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

Note: The populations given are those ascertained at the Census of 8th April, 1951. The information is not supplied for the years 1952 to 1956.



CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from
THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 51. Vol. XCIV WEEK ENDED SATURDAY, 21st DECEMBER, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 316—166 boys and 150 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 187. Of these, 3 deaths were due to tuberculosis, 3 to influenza and 33 to malignant neoplasms. There were 7 accidental deaths, 5 of which were due to transport accidents.

Among the deaths of infants under one year, 3 were due to congenital malformation, 3 to injury at birth, one to pneumonia, one to prematurity and one to pyelitis.

The total number of births registered during the week in the principal towns, was 611—301 boys and 310 girls, of which 123 boys and 117 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 300, of which 139 were registered in Dublin County Borough.


TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 21st December, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS												
				Under 1 year of age	65 years and upward	CAUSED BY										
						Tuber- culosis	Scarlet fever	Diphtheria	Whooping cough	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system		
														Influenza	Pneumonia	Other
						Respiratory system	Other forms									
TOTAL 14 TOWNS	851,612	316	187	10	110	3	33	3	5	12
DUBLIN COUNTY BOROUGH	522,183	158	103	7	54	2	22	3	3	5
DUN LAOGHAIRE BOROUGH	47,920	19	10	.	6	1	1	.	.	.
CORK COUNTY BOROUGH	74,567	30	15	1	9	3
LIMERICK COUNTY BOROUGH	50,820	36	11	1	8	2	.	.	.
WATERFORD COUNTY BOROUGH	28,691	8	8	.	4	2	.	.	1
GALWAY BOROUGH	21,316	23	8	.	4	1	.	1	.
DUNDALK URBAN DISTRICT	19,678	2	3	.	2
DROGHEDA URBAN DISTRICT	16,779	5	7	1	5	1	.	.	1
SLIGO URBAN DISTRICT	13,529	2	8	.	7	3	.	.	.
BRAY URBAN DISTRICT	12,062	7	2	2	1	1
WEXFORD URBAN DISTRICT	11,979	2	5	.	4	1	.	.	1
TRALEE URBAN DISTRICT	11,045	.	1	1	1
KILKENNY URBAN DISTRICT	10,572	16	6	.	5	1	.
CLONMEL URBAN DISTRICT	10,471	8	5
BELFAST	443,680	117	121	9	68	1	15	11
DERRY	50,095	14	7	1	5	1	.

Notes: The populations given are those ascertained at the Census of 8th April, 1951. The information is not re-enrolled.

TABLE 2.—Deaths registered during week ended Saturday, 21st December, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP		DEATHS CAUSED BY																
		TOTAL DEATHS	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
			Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																		
Under 1	..	7	1	1	9	
1-4	..	3	1	1	1	
5-14	..	2	1	1	
15-24	..	3	1	2	1	
25-44	..	4	1	8	16	1	
45-64	..	30	1	12	1	1	2	38	1	
65 and over	..	54	22	3	3	5	65	3	
Total	..	103	2	22	3	3	5	3	65	
CORK COUNTY BOROUGH																		
Under 1	..	1	1	1	
1-4	..	1	1	
5-14	
15-24	
25-44	..	4	2	..	2	
45-64	..	9	1	..	8	
65 and over	..	15	3	1	11	
Total	..	15	3	1	11	
TWELVE OTHER TOWNS																		
Under 1	..	2	2	
1-4	1	
5-14	..	2	1	1	
15-24	..	2	1	1	
25-44	..	3	1	1	1	1	1	8	
45-64	..	13	1	2	1	1	3	35	1	
65 and over	..	47	8	1	1	4	48	3	
Total	..	69	1	11	2	4	3	48	3	



CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS
WEEKLY RETURNS OF BIRTHS AND DEATHS
FOR THE
PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 52. Vol. XCIV WEEK ENDED SATURDAY, 28th DECEMBER, 1957 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 178—85 boys and 93 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 122. Of these, one death was due to tuberculosis, one to diphtheria, 2 to influenza and 17 to malignant neoplasms. There was one accidental death, which was due to a transport accident.

Among the deaths of infants under one year, 2 were due to pneumonia, 2 to congenital malformation, 2 to prematurity, one to gastro-enteritis and one to influenzal pneumonia.

The total number of births registered during the week in the principal towns, was 312—143 boys and 169 girls, of which 76 boys and 94 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 164, of which 114 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 28th December, 1957, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	CAUSED BY														Diseases of the respiratory system		External causes	Other causes	
				Under 1 year of age	65 years and upward	Tuber- culosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Influenza			Pneumonia			Other
						Respiratory system	Other forms									Influenza	Pneumonia	Other				
TOTAL 14 TOWNS	851,612	178	122	8	82	1	.	.	1	1	17	2	4	11	1	1	83	.
DUBLIN COUNTY BOROUGH	522,183	108	96	5	64	1	.	.	1	1	15	2	3	9	1	1	62	.
DUN LAOGHAIRE BOROUGH	47,920	8	3	.	3	2	.	.	1	.
CORK COUNTY BOROUGH	74,567	6	8	.	7	2	9	.
LIMERICK COUNTY BOROUGH	50,820	14	2	1	1	2	.
WATERFORD COUNTY BOROUGH	28,691	3	7	2	4	7	.
GALWAY BOROUGH	21,316	13	1	.
DUNDALK URBAN DISTRICT	19,678	4	1	1	.	.	.	1	.
DROGHEDA URBAN DISTRICT	16,779	6	1	.	1	1	.
SLIGO URBAN DISTRICT	13,529	2	1	.	1	1	.
BRAY URBAN DISTRICT	12,062
WEXFORD URBAN DISTRICT	11,979	.	1	1	.
TRALEE URBAN DISTRICT	11,045	6	1	.
KILKENNY URBAN DISTRICT	10,572	1	1	1	.
CLONMEL URBAN DISTRICT	10,471	7	1	.	1	1	.
BELFAST	443,680	112	106	5	69	1	16	12
DERRY	50,995	5	4	.	2	1

Notes: The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 28th December, 1957, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	DEATHS CAUSED BY													
	Total Deaths	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system		
		Respiratory system	Other forms									Influenza	Pneumonia	Other
DUBLIN COUNTY BOROUGH														
Under 1 ..	5	1	2	1
1-4 ..	1
5-14 ..	1
15-24 ..	2	1
25-44 ..	22	1	7	1	3
45-64 ..	64	1	1	7	1	1	5
65 and over ..	96	1	.	.	1	1	15	2	3	9
Total ..	188	5	1	1	2	2	2	2	2	2	22	6	7	28
CORK COUNTY BOROUGH														
Under 1 ..	1
1-4 ..	1
5-14 ..	1
15-24 ..	1
25-44 ..	1
45-64 ..	1
65 and over ..	7	1	.	.	.
Total ..	8	1	1	1	1	1	1	1	1	1	2	1	1	1
TWELVE OTHER TOWNS														
Under 1 ..	3
1-4 ..	1
5-14 ..	1
15-24 ..	1
25-44 ..	3
45-64 ..	11	1	2
65 and over ..	18	1	2
Total ..	28	3	1	1	1	1	1	1	1	1	1	1	1	15

